

Winzer Corporation 10560 Markison Rd. Dallas, Texas 75238 800-527-4126

## AIR TOOL OIL

MSDS #:891.490.7 Product #:891.490

## MATERIAL SAFETY **DATA SHEET**

## SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product:** 

AT-12, 4, 17, 18, 20, 50, ATC-12, 4, 17

Manufacturer:

**AGS Company** 

Street Address: City/State/Zip

2651 Hoyt St Muskegon Hts., MI 49444

Phone:

800-253-0403

Phone:

231-733-2101

FAX:

231-733-1784

Phone:

Transportation Emergen CHEM-TEL

800-255-3924

Trade Name:

Air Tool Oil

Common Name:

Air Tool Lubricant

**Original Issue Date:** 

Revision No.

8/15/95

Date

2/15/05

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

**ITEM** 

ITEM

1 Light Naphthenic Distillate, Severe Hydrotreated

CAS NUMBER

WT/WT %

64742-52-5

60-100

**EXPOSURE LIMITS** 

**ACGIH** TLV-TWA

5 mg/m<sup>3</sup>

TLV-STEL

**OSHA** 

10 mg/m<sup>3</sup>

PEL-TWA 5 mg/m<sup>3</sup> **PEL-CEILING** N.E.

(See Section 16 for abbreviation legend)

**SECTION 3 - HAZARDS IDENTIFICATION** 

EYE CONTACT:

Liquid and vapors may be irritating and can cause pain, tearing, reddening and swelling.

SKIN CONTACT:

Prolonged or repeated contact may result in irritation and/or dermatitis.

INHALATION:

None expected.

INGESTION:

This material may be harmful or fatal if swallowed.

CHRONIC HAZARDS:

There are no foreseeable uses of the product that would lead to chronic exposure.

Primary Route(s) of Entry

Skin and eye contact or ingestion.

**SECTION 4 - FIRST AID MEASURES** 

EYE CONTACT: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN CONTACT: Immediately flush with plenty of water. Remove clothing. Get medical attention immediately. Wash clothing separately before reuse.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

INGESTION: Get medical attention immediately. If swallowed, DO NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

**MATERIAL SAFETY DATA SHEET** 

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT:

350°F

LOWER EXPLOSIVE LIMIT: UPPER EXPLOSIVE LIMIT:

N.D. N.D.

**AUTOGNITION TEMPERATURE:** 

N.D.

**EXTINGUISHING MEDIA:** 

Water fog, dry chemical, CO2, foam, and alcohol foam

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Product can produce dense smoke from oils burning.

SPECIAL FIREFIGHTING PROCEDURES:

protective gear.

Wear NIOSH/MSHA approved self-contained breathing apparatus and

SECTION 6 - ACCIDENTAL RELEASE MEASURES

RECOVERY PROCEDURES:

Absorb spill with inert material then place in a chemical waste container.

SECTION 7 - HANDLING AND STORAGE

HANDLING: Wash thoroughly after handling

STORAGE: Keep away from heat, sparks, and flame.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:** 

Use in well ventilated area. Local exhaust sould be utilized to remove fumes.

RESPIRATORY PROTECTION:

For most conditions, no respiratory protection should be needed,

however, if high vapor concentration should develop, use a NIOSH approved organic vapor respirator.

SKIN PROTECTION:

Where contact is likely, wear chemical resistant gloves.

EYE PROTECTION:

Wear safety glasses with side shields or goggles.

OTHER PROTECTIVE EQUIPMENT:

Eye wash in work area.

HYGIENIC PRACTICES: Wash hands before eating. Remove contaminated clothing and wash before reuse. Use only in a well ventilated area. Follow all MSDS/label precautions even after container is emptied because

they may retain product residues. Avoid prolonged or repeated contact with eyes, skin, and clothing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

**BOILING POINT ODOR** 

500°F

260°C

VAPOR DENSITY:

Is heavier than air

0.89

**APPEARANCE** 

Petroleum Amber

ODOR THRESHOLD **EVAPORATION RATE**  N.D. Is slower than Butyl Acetate

SOLUBILITY IN HO

Negligible

SPECIFIC GRAVITY

FREEZE POINT VAPOR PRESSURE N.D.

pH @ 0.0%

N.A.

PHYSICAL STATE

< 0.1 mmHg @ 38°C Liquid

VISCOSITY:

N.D.

COEFFICIENT OF WATER / OIL DISTRIBUTION:

Negligible

(See Section 16 for abbreviation legend)

MATERIAL SAFETY DATA SHEET SECTION 10 - STABILITY AND REACTIVITY

CONDITIONS TO AVOID: Sources of ignition.

INCOMPATIBILITY:

Strong acid or alkali, oxidizers and amines.

HAZARDOUS DECOMPOSITION PRODUCTS

Oxides of carbon, nitrogen and phosphorus.

HAZARDOUS POLYMERIZATION:

Will not occur under normal conditions

STABILITY: This product is stable under normal storage conditions.

SECTION 11 - TOXICOLOGICAL PROPERTIES

COMPONENT TOXICOLOGICAL INFORMATION:

No information available.

SECTION 12 - ECOLOGICAL INFORMATION

**ECOLOGICAL INFORMATION:** 

No information

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSAL METHOD:

Dispose of in accordance with federal, state and local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME

Not Regulated

DOT TECHNICAL NAME

N.A.

N.A.

HAZARD SUBCLASS:

N.A.

DOT UN / NA NUMBER:

DOT HAZARD CLASS

N.A.

PACKING GROUP: NA

RESP. GUIDE PAGE

SECTION 15 - REGULATORY INFORMATION

U.S FEDERAL REGULATIONS:

AS FOLLOWS -

OSHA: Hazardous by definition of Hazard Communication Standard (29 cfr 1910.1200)

CERCLA - SARA HAZARD CATEGORY:

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III ) and is considered, under applicable definitions, to meet the following categories:

IMMEDIATE HEALTH HAZARD

FIRE HAZARD

## MATERIAL SAFETY DATA SHEET

SARA SECTION 313

This product contains the following substance subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

CHEMICAL NAME

**CAS NUMBER** 

WT /WT % IS LESS THAN

No SARA Section 313 components exist in this product.

TOXIC SUBSTANCE CONTROL ACT:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12 (B) if exported from the United States:

CHEMICAL NAME

CAS NUMBER

No components subject to reporting requirements of TSCA 12(b)

U.S. STATE REGULATIONS:

AS FOLLOWS -

NEW JERSEY RIGHT-TO-KNOW:

The following materials are non-hazardous, but are among the top five components in this product:

CHEMICAL NAME

CAS NUMBER

Sorbitan Monooleate

1338-43-8

PENNSYLVANIA RIGHT-TO-Know

The following non-hazardous ingredients are present in the product at greater than 3%:

CHEMICAL NAME

CAS NUMBER

No non-hazardous ingredients are present at greater than 3%

**CALIFORNIA PROPOSITION 65:** 

WARNING: The chemical(s) noted below and contained in this product, are know to the state of California to causes cancer, birth defects or other reproductive harm.

CHEMICAL NAME

CAS NUMBER

No Propsition 65 chemicals exist in this product.

INTERNATIONAL REGULATIONS:

AS FOLLOWS -

CANADIAN WHMIS:

This MSDS has been prepared in compliance with Controlled Product Regulations

except for use of the 16 headings.

CANADIAN WHMIS CLASS:

No information available.

SECTION 16 - OTHER INFORMATION

2

HMIS RATINGS: NFPA

Health Health Flammability

Flammability

Phys. Haz.

Reactivity

PPE

Α

VOLATILE ORGANIC COMPOUNDS (VOCs):

0 lbs/gal

0 grams / liter

0

LEGEND:

N.A. N.D.

Not Applicable
Not Determined

N.E.

Not Established

Disclaimer: The information contained herein is base on data available. However, no warranty is expressed or implied regarding the accuracy of the data or the results obtained from the use thereof. Because the information contained herein may be applied under conditions beyond our control, we assume no responsibility for its use.