Part# 4108684 683294 480Z 4CYCLE ENGINE OIL 480Z 445 ORGILL INC. (WEB / STORE) Buyer: Anita Chapman



## MATERIAL SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

PRODUCT TRADE NAME:

Arnold 30 Weight Bar & Chain Oil

02/23/90

INFORMATION/EMERGENCY

PHONE NO:

(901)658-9050

CHEMICAL FAMILY:

REVISION DATE:

Petroleum Lubricating Oil

SECTION 2 - HAZARDOUS INGREDIENTS

<u>NAME</u>

REGULATORY AGENCY

OSHA/ACGIH

EXPOSURE LIMIT 5mg/m3 Mist

Comples Mixture of

Petroleum Hydrocarbons

See Section 6, Chronic Effects, for potential over-exposure

hazard.

SECTION 3 - PHYSICAL DATA

VAPOR PRESURE(mmHg):

SPECIFIC GRAVITY:

WATER SOLUBILITY:

BOILING POINT: VAPOR DENSITY (Air=1):

EVAPORATION RATE (BUAC=1

ODOR:

APPEARANCE:

<1 .94

Negligible Wide Range

> <u>I</u>

<1

Mild Hydrocarbon Odor Amber Colored Liquid

SECTION 4 - FIRE AND EXPLSION HAZARDS

FLASH POINT:

UPPER FLAMMABLE LIMIT: LOWER FLAMMABLE LIMIT:

EXTINGUISHING MEDIA(s):

SPECIAL FIREFIGHTING

PROCEDURES:

UNUSUAL FIRE AND

EXPLOSION HAZARDS:

Not Determined

Not Determined

Not Determined

Water Fog, Chemical Foam, Dry

Chemical Powder, Co,

Cool exposed containers with water

spray. Avoid breathing fumes.

Pressure increase in over heated closed containers. Cool containers

with water spray.

SECTION 5 - REACTIVITY DATA STABILITY: Stable INCOMPATIBILITY: Avoid strong oxidants. POLYMERIZATION: Will not occur. THERMAL DECOMPOSITION: Partial burning produces fumes, smoke and carbon monoxide. SECTION 6 - HEALTH HAZARD DATA Inhalation of fumes may result in INHALATION: dizziness, headache and respiratory irritaion. Contact with eyes may cause minimal EYE CONTACT: irritaion. SKIN CONTACT: Mild irritaion my occur with prolonged or repeated contact. Slightly toxic. Pulmonary INGESTION: aspiration hazard if vomiting occurs. 5mg/m3 as mist. ACGIH 1984-85 TLV: CHRONIC EFFECTS: Product has a low order of acute oral toxicity. Ingredients of this product are not listed as potential carcinogens in N.T.P. Annual Report on Carcinogens, I.A.R.C. Monographs, or by O.S.H.A. HCS (g) (2) (vii). Emergency First Aid Procedures SKIN: Wash skin with soap and warm water. Wash Clothing before re-use. EYE: If splashed into eyes flush eyes with clear water for five(5) minutes. INHALATION: If overcome by fumes remove from

## SECTION 7 - SPECIAL PROTECTION INFORMATION

ORAL:

VENTILATION PROCEDURE:

GLOVES PROTECTION:

EYE PROTECTION:

WORK/HYGENIC PRACTICES:

Ventilate as needed to comply with exposure limit.

Use impervious gloves to avoid repeated/prolonged skin contact.

Use goggles/face shield to avoid eye contact.

If clothing becomes contaminated, change to fresh clean clothing.

exposure immediately.

If ingested, do not induce

vomiting. Call a physician.

Do not wear until thoroughly laundered.

| SECTION 8 | - SPILI, OR | I.FA | K PROCEDURES |
|-----------|-------------|------|--------------|

SPILL PROCEDURES:

Remove ignition sources. Recover liquid. Add absorbent to spill area. Ventilate confined spaces. Advise authorities if product

enters sewers, etc.

WASTE DISPOSAL:

Assure conformity with applicable disposal regulations. Dispose of absorbed material at approved waste site.

## SECTION 9 - SPECIAL PRECAUTIONS

HANDLING AND

STORAGE PRECAUTIONS:

Keep containers closed when not in use. Do not handle or store near heat or flames. Use chemical resistant gloves and apron.

The Data presented herein is based upon tests and information which we believe to be reliable. However, users should make their own investigations to determine the suitability of the information for their particular purpose.