




WD-40®



MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION

Manufacturer: WD-40 Company	Telephone: _____
Address: 1061 Cudahy Place (92110) P.O. Box 80607 San Diego, California 92138-0607	Emergency Only: 1 (800) 424-9300 (CHEMTREC)
	Information: (619) 275-1400
	Chemical Name: Organic Mixture
	Trade Name: WD-40 Bulk Liquid

II. HAZARDOUS INGREDIENTS

Chemical Name	CAS Number	%	Exposure Limit ACGIH/OSHA
Aliphatic Petroleum Distillates	8052-41-3	70	100ppm PEL
Petroleum Base Oil	64742-65-0	> 20	5 mg/M3 TWA (mist)
Non-hazardous Ingredients		< 10	

III. PHYSICAL DATA

Boiling Point:	300°F (minimum)	Evaporation Rate:	Not determined
Vapor Density (air = 1):	Greater than 1	Vapor Pressure:	Not determined
Solubility in Water:	Insoluble	Appearance:	Cloudy light amber
Specific Gravity (20 = 1):	0.816 @ 70°F	Odor:	Characteristic odor
Percent Volatile (volume):	70%	v o c:	568 grams per liter

IV. FIRE AND EXPLOSION

Flash Point:	Tag Open Cup 110°F (minimum)
Flammable Limits:	(Solvent Portion) [Le] 1.0% [Ue] 6.0%
Extinguishing Media:	CO ₂ , Dry Chemical, Foam
Special Fire Fighting Procedures:	None
Unusual Fire and Explosion Hazards:	None

V. HEALTH HAZARD / ROUTE(S) OF ENTRY

Threshold Limit Value	
Aliphatic Petroleum Distillates (Stoddard Solvent) lowest TLV (ACGIH 100 ppm.)	
Symptoms of Overexposure	
Inhalation (Breathing):	May cause anesthesia, headache, dizziness, nausea and upper respiratory irritation.
Skin Contact:	May cause drying of skin and/or irritation.
Eye Contact:	May cause irritation, tearing and redness.
Ingestion (Swallowed):	May cause irritation, nausea, vomiting and diarrhea.
First Aid Emergency Procedures	
Ingestion (Swallowed):	Do not induce vomiting, seek medical attention.
Eye Contact:	Immediately flush eyes with large amounts of water for 15 minutes.
Skin Contact:	Wash with soap and water.
Inhalation (Breathing):	Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen.
Pre-existing medical conditions such as eye, skin and respiratory disorders may be aggravated by exposure.	
DANGER!	
Aspiration Hazard:	If swallowed, can enter lungs and may cause chemical pneumonitis. Do not induce vomiting. Call Physician immediately.
Suspected Cancer Agent	
Yes _____ No <u> x </u>	The components in this mixture have been found to be noncarcinogenic by NTP, IARC and OSHA.

VI. REACTIVITY DATA

Stability:	Stable <input checked="" type="checkbox"/>	Unstable _____
Conditions to avoid:	NA	
Incompatibility:	Strong oxidizing materials	
Hazardous decomposition products:	Thermal decomposition may yield carbon monoxide and/or carbon dioxide.	
Hazardous polymerization:	May occur _____	Will not occur <input checked="" type="checkbox"/>

VII. SPILL OR LEAK PROCEDURES

Spill Response Procedures

Absorb small quantities with sand, earth, sawdust. Large quantities pump into tank.

Waste Disposal Method

Incinerate liquid, bury saturated absorbent in land fill. Dispose of in accordance with local, state and federal regulations.

VIII. SPECIAL HANDLING INFORMATION

Ventilation:	Sufficient to keep solvent vapor less than TLV.
Respiratory Protection:	Advised when concentrations exceed TLV.
Protective Gloves:	Advised to prevent possible skin irritation.
Eye Protection:	Approved eye protection to safeguard against potential eye contact, irritation or injury.
Other Protective Equipment:	None required.

IX. SPECIAL PRECAUTIONS

Keep from open flame, do not take internally. Avoid excessive inhalation of spray particles. Keep from children.

X. TRANSPORTATION DATA (49 CFR 172.101)

Domestic Surface	
Description:	WD-40 Bulk Lubricant
Hazard Class:	Non-Regulated Per 49 CFR 173.150(F)(2)
ID No.:	None
Label Required:	None (Under 119 Gallons)
Domestic Air	
Description:	Petroleum Distillates N.O.S.
Hazard Class:	3 UN 1268 PG III
Label Required:	Flammable Liquid

XI. REGULATORY INFORMATION

All ingredients for this product are listed on the TSCA inventory.

SARA Title III chemicals:	None
California Prop 65 chemicals:	None
CERCLA reportable quantity:	None
RCRA hazardous waste no.:	DO01 (Ignitable)

SIGNATURE: R Miles

TITLE: Technical Director

REVISION DATE: March 2001

SUPERSEDES: March 1998

NA = Not applicable

NDA = No data available

< = Less than

> = More than

We believe the statements technical information and recommendations contained herein are reliable. However, the data is provided without warranty, expressed or implied. It is the user's responsibility both to determine safe conditions for use of this product and assume loss, damage or expense, direct or consequential arising from its use. Before using product read label.

MSDS-B

Order Confirmation

10347

Contact Information

Name: Cesar S Garcia Email Address: Cgarcia@hillyard.com

Address Information

<p>Sold-To Address</p> <p>HILLYARD /KEITH 9322 BAYTHORNE HOUSTON TX 77041 US</p>	<p>Ship-To Address</p> <p>HILLYARD /KEITH 9322 BAYTHORNE HOUSTON TX 77041</p>
--	---

35102000

Order Information

Order Number:	10655351/0	Date Entered:	3/30/09
P.O. Number:	penske	Est. Ship Date:	3/30/09
Order Status:	Order Held	Ship Confirm Date:	
Order Type:	Order	Invoice Date:	
Order Value:	\$145.20		
Invoice Amount:	\$145.20	Carrier Code:	P/U

Line Information

Item Number	Est. Ship Date	UM	Qty Ordered	Qty Shipped	Qty Back Ordered	Sell Price	Extended	Description	Customer Item Number
WDC 10110	CASE		2.0	2.0	0.0	\$72.60	\$145.20	C-WD-40 GALLON SIZE - 4/1GAL	WDC 10110

SubTotal:	\$145.20
Discounts:	\$0.00
Freight Charges:	\$0.00
Container Charges:	\$0.00
Sales Tax:	\$0.00
Excise Tax:	\$0.00
Order Total:	\$145.20

Order Comments

Order Comments:

Shipping Instructions

Shipping Instructions: