

# SAFETY DATA SHEET.

Issuing date 01-Oct-2014

Company Emergency Phone

Number

Revision Date 01-Oct-2014

Version 1.01

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

<u>Product identifier</u> Product name	80-477 BELT DRESSING
Recommended use of the chemical and restrictions on use	
Product code	F00486
<u>Product Type</u> Synonyms	Extremely flammable aerosol None
Supplier's details	
Recommended Use Uses advised against	Belt Dressing. No information available
Manufactured For: Kimball Midwest 4800 Roberts Rd. Columbus, OH 43228	
Emergency telephone number Chemical Emergency Phone Number	Chemtrec 1-800-424-9300

800-233-1294

# 2. HAZARDS IDENTIFICATION

# **Classification**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation Category 2	
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

# GHS Label elements, including precautionary statements

# DANGER

#### **Emergency Overview**

#### Hazard Statements

Causes skin irritation Causes serious eye irritation Suspected of damaging fertility or the unborn child May cause drowsiness or dizziness May cause damage to organs (respiratory system, Central nervous system, and Lungs), through prolonged or repeated exposure. May be fatal if swallowed and enters airways Extremely flammable aerosol Contains gas under pressure; may explode if heated

Appearance opaque

Physical state Aerosol

Odor Solvent

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

## F00486 - 80-477 BELT DRESSING

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None

#### Other information

Toxic to aquatic life with long lasting effects

0.00603% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### CAS # 110-54-3, HEXANE, MAY BE SUBSTITUTED FOR CAS # 64742-49-0, COMMERCIAL HEXANES.

Chemical Name	CAS-No	Weight %*
HEXANE	110-54-3	30.0-40.0
DIMETHYLETHER	115-10-6	20.0-30.0
ACETONE	67-64-1	1-10
MINERAL SPIRITS	64742-88-7	1-10

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice	Avoid contact with skin, eyes, and clothing. Avoid breathing, vapors, mist, or gas.
Eye contact	In the case of contact with eyes, rinse immediately with plenty of water for 15 minutes and seek medical advice.
Skin contact	Wash off immediately with plenty of water. If skin irritation persists, call a physician.
Inhalation	Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped, contact emergency medical services immediately.
Ingestion	Do NOT induce vomiting. Call a physician or Poison Control Center immediately. Never give anything by mouth to an unconscious person. Risk of product entering the lungs on vomiting after ingestion.
Most important symptoms/effects,	acute and delayed

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

water fog. Dry chemical. Foam. Carbon dioxide (CO2). Cool containers / tanks with water spray.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

Flammable or extremely flammable aerosol. Container may burst in fire. Extremely flammable.

Explosion Data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use shielding to protect fire-fighters from bursting containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautionsEnsure adequate ventilation.Environmental precautionsReport spills as required by local and federal regulations.Methods and materials for containmentAnd Cleaning upMethods for ContainmentPrevent further leakage or spillage if safe to do so.Methods for cleaning upContain liquid and collect with an inter,non-combustible material. Soak up with inert absorbent material.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Avoid skin contact. Use with adequate ventiliation. Keep container away from heat, flames, and all other sources of ignition. Keep can away from all sources of electricity such as electric motors and batteries. Do not spray on hot surfaces.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep containers tightly closed in a cool, well-ventilated place.
Incompatible products	Store away from strong oxidizers and acids.
Aerosol Level	3

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
HEXANE	TWA: 50 ppm	TWA: 500 ppm	IDLH: 1100 ppm
110-54-3	Skin - potential significant	TWA: 1800 mg/m <sup>3</sup>	TWA: 50 ppm
	contribution to overall exposure	(vacated) TWA: 50 ppm	TWA: 180 mg/m <sup>3</sup>
	by the cutaneous route	(vacated) TWA: 180 mg/m <sup>3</sup>	_
ACETONE	STEL: 750 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 500 ppm	TWA: 2400 mg/m <sup>3</sup>	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	_
		(vacated) STEL: 2400 mg/m <sup>3</sup>	
		The acetone STEL does not	
		apply to the cellulose acetate	
		fiber industry. It is in effect for all	
		other sectors	
		(vacated) STEL: 1000 ppm	

ACGIH: (American Conference of Governmental Industrial Hygienists) OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Engineering Measures** Ventilation systems. Use adequate ventilation to keep the exposure levels below the OELs.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety glasses with side-shields.
Skin and body protection	Chemical resistant apron. Protective gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

```
Hygiene measures
```

**Exposure controls** 

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state Appearance Color	Aerosol opaque dark amber	Odor Odor Threshold	Solvent No information available
Property pH Melting/freezing point Boiling point/boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	Values_ No information available No information available No information available -41 °C / -42 °F No information available No information available	Remarks • Methods	
upper flammability limit lower flammability limit Vapor pressure Vapor density Specific Gravity	No information available No information available No information available No information available 0.785		

#### F00486 - 80-477 BELT DRESSING

Water solubility Partition coefficient: n-octanol/wa Autoignition temperature Decomposition temperature Viscosity Explosive properties	Practically insoluble terNo information available No information available No information available No information available No information available	Not applicable		
Other information				
VOC Content(%)	60			
	10. STABILITY AND	D REACTIVITY		
<u>Reactivity</u> No data available				
<u>Chemical stability</u> Stable under recommended storage conditions.				
Possibility of hazardous reactions None under normal processing.				
Conditions to Avoid				

Extremes of temperature and direct sunlight.

# Incompatible Materials

Store away from strong oxidizers and acids.

# **Hazardous Decomposition Products**

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known information	
Inhalation	Exposure to high vapour concentrations may cause nervous systems effects such as headache, nausea, and dizziness.	
Eye contact	May cause slight irritation.	
Skin contact	Irritating to skin. Prolonged or repeated exposure may cause dermatitis.	
Ingestion	Not acutely toxic. Aspiration into the lungs during swallowing may cause serious lung damage which may be fatal.	

#### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
HEXANE	-	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat) 4 h
110-54-3			
DIMETHYLETHER	-	-	= 308.5 mg/L (Rat)4 h
115-10-6			
ACETONE	> 5800 mg/kg (Rat)	> 20,000 mg/kg (Rabbit)	= 50100 mg/m <sup>3</sup> (Rat) 8 h
67-64-1			
MINERAL SPIRITS	> 5000 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	> 5.28 mg/L (Rat)4 h
64742-88-7	- <b>-</b> , ,		_ ` ` <i>`</i> ` '

#### Information on toxicological effects

#### F00486 - 80-477 BELT DRESSING

#### Revision Date 01-Oct-2014

Symptoms	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. May cause mild irritation. Irritating to skin. Prolonged or repeated exposure may cause dermatitis. Not acutely toxic. Aspiration into the lungs during swallowing may cause serious lung damage which may be fatal.
Delayed and immediate effects a	as well as chronic effects from short and long-term exposure
Skin corrosion/irritation	Irritating to skin.
Eye damage/irritation	Irritating to eyes.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
Specific target organ systemic toxicity (single exposure)	May cause drowsiness and dizziness.
Specific target organ systemic toxicity (repeated exposure)	Causes damage to organs through prolonged or repeated exposure.
Target Organ Effects	Central nervous system, Eyes, Peripheral Nervous System (PNS), Respiratory system, Skin.
Aspiration hazard	May be fatal if swallowed and enters airways.
Numerical management of toxicity	Due duct information

#### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity0.00603% of the mixture consists of ingredient(s) of unknown toxicityThe following values are calculatedbased on chapter 3.1 of the GHS document .ATEmix (oral)11122 mg/kgATEmix (dermal)6667 mg/kgATEmix (inhalation-dust/mist)889 mg/lATEmix (inhalation-vapor)106667 mg/l

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
HEXANE 110-54-3	-	2.1 - 2.98 mg/L LC50 Pimephales promelas 96h flow-through	-	-
ACETONE 67-64-1	-	4.74 - 6.33 mL/L LC50 Oncorhynchus mykiss 96h 6210 - 8120 mg/L LC50 Pimephales promelas 96h static 8300 mg/L LC50 Lepomis macrochirus 96h	_	10294 - 17704 mg/L EC50 Daphnia magna 48h Static 12600 - 12700 mg/L EC50 Daphnia magna 48h
MINERAL SPIRITS 64742-88-7	450 mg/L EC50 Pseudokirchneriella subcapitata 96h	800 mg/L LC50 Pimephales promelas 96h static	-	100 mg/L EC50 Daphnia magna 48h

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	log Pow
DIMETHYLETHER	-0.18
115-10-6	
ACETONE	-0.24
67-64-1	

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment

Waste Disposal Methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Dispose of in accordance with federal, state, and local regulations.
Contaminated packaging	Do not re-use empty containers.

## **14. TRANSPORT INFORMATION**

IATA UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD.	QTY.
---	------

IMDG UN1950, AEROSOLS, 2.1, LTD. QTY.

# 15. REGULATORY INFORMATION

# International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
HEXANE	Х	X	Х	Х	Х	Х	Х	Х
DIMETHYLETHER	Х	Х	Х	Х	Х	Х	Х	Х
ACETONE	Х	Х	Х	Х	Х	Х	Х	Х
MINERAL SPIRITS	Х	X	Х	Х	Х	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### U.S. Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
HEXANE - 110-54-3	110-54-3	30.0-40.0	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	Yes		
Chronic Health Hazard	Yes		
Fire Hazard	Yes		
Sudden Release of Pressure Hazard	Yes		

#### **Reactive Hazard**

no

# Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
HEXANE 110-54-3	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
ACETONE 67-64-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

# U.S. State Regulations

#### **California Proposition 65**

No warning required.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
HEXANE 110-54-3	Х	X	Х
DIMETHYLETHER 115-10-6	Х	X	Х
ACETONE 67-64-1	Х	Х	Х
MINERAL SPIRITS 64742-88-7	Х		

EPA Pesticide Registration Number Not applicable

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION						
NFPA_	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards		
HMIS	Health Hazard 2	Flammability 4	Physical Hazard 1	Personal protection B		
Prepared By	•	bry Affairs				
Issuing date Revision Date	01-Oct-2 01-Oct-2					
Revision Note No information available						
<u>Disclaimer</u>			auladaa information and			

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet