00623-1014 -1016 -1017

MATERIAL SAFETY DATA SHIDENTITY (AS USED ON LABEL AND LIST)	•	May be used to comply with OSHA's 2K CFR 1910 1200) Note: Stank spaces are not permitted, if any firm is not applicable.	
DICK BLICK ACRYLIC GEL_MEDIUM	principiformation avglabal the s	cace must be marked appropriately	
SECTION 1 - MATERIAL IDENTIFICATION A	ND INFORMATION	* *	
ROCK PAINT DISTRIBUTING CORP.	(608) 868-6873		
MANUFACTURER	TELEPHONE NUMBER	TELEPHONE NUMBER FOR INFORMATION	
365 SUNNYSIDE DR. P.O. BOX 482	(920) 563-8545		
ADDRESS	EMERGENCY TELEPH	EMERGENCY TELEPHONE NUMBER	
MILTON, WI 53563	JULY 2007		
	DATE PREPARED		
CECTION 2 MATERIAL IDENTIFICATION A	ND INFORMATION	07.155.1.4875	
SECTION 2 - MATERIAL IDENTIFICATION A		OTHER LIMITS	
COMPONENTS CHEMICAL NAME & COMMON NAMES	% OSHA PEL ACC	GIH TLV RECOMMENDED	
Contains no hazardous substand per OSHA 29 CFR 1910.1200			
Material is a water based product with the AP Set Products Seal of the Art and Craft Materials Institution to Seal of the Art and Craft Materials Institution to Seal of the Art and Craft Materials Institution to Seal of the Seal of the Seal of Se	tute Inc. are certified in a pontain no material in sufficient cause acute or chronic he stitute to be in accordance and ASTM D-4236. In additional in the contained are contained as the contained are certified in a stitute to be in accordance and ASTM D-4236. In additional contains the contained are contained as the contained are contained as the contained are certified in a contained are contained as the contained are certified in a possible contained are certified in a contained are certified in a contained are certified as a containe	rogram of ent alth	
SECTION 3 - PHYSICAL/CHEMICAL CHARA	CTERISTICS	·· -	
BOILING POINT - Range 215-225 F	SPECIFIC GRAVITY (H2O = 1) -	Range 1.03-1.68	
VAPOR PRESSURE (mm Hg & TEMPERATURE) - N/A	MELTING POINT -	N/A	
VAPOR DENSITY (AIR=1) - lighter than air	EVAPORATION RATE (WATER # 1) -	wer than ether	
SOLUBILITY IN WATER - Completely soluble in water		N/A	
APPEARANCE & ODOR - Various colors and odorless	TATER REACTIVE	19/2	
SECTION 4 - FIRE AND EXPLOSION HAZAR	D DATA		
FLASH POINT & METHOD USED	FLAMMABILITY LIMIT	S IN AIR % BY VOLUME	
N/A		N/A	
EXTINGUISHER MEDIA	بيقا	JE:	
CO2, Foam or Water SPECIAL FIRE FIGHTING PROCEDURES	_	N/A N/A	

None known unusual fire and explosion hazards None

OTHER PROTECTIVE CLOTHING AND EQUIPMENT

HYGIENIC WORK PRACTICES

ACRYLIC GEL MEDIUM Page 2 of 2 SECTION 5 - REACTIVITY HAZARD DATA STABILITY CONDITIONS TO AVOID > STABLE None UNSTABLE INCOMPATABILITY (MATERIALS TO AVOID) N/A HAZARDOUS DECOMPOSITION PRODUCTS N/A HAZARDOUS POLYMERIZATION CONDITIONS TO AVOID MAY OCCUR N/A None known WILL NOT OCCUR SECTION 6 - HEALTH HAZARD DATA PRIMARY ROUTES OF ENT N/A CARCINOGEN LISTED IN N/A INHALATION INGESTION SKIN ABSORTION IARC MONOGRAPH > NOT LISTED NOT HAZARDOUS HEALTH HAZARDS ACUTE Refer to Section 2 CHRONIC SIGNS AND SYMPTOMS Not known MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE Not known EMERGENY FIRST AID PROCEDURES - Consult a Physician Immediatley. SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES STEPS TO BE TAKEN IS MATERIAL IS SPILLED OR RELEASED Usual Clean Up Procedure WASTE DISPOSAL METHODS Dispose of in accordance with Federal and Local State Regulations PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Store at room temperature. OTHER PRECAUTIONS AND/OR SPECIAL HAZARDS Not known SECTION 8 - CONTROL AND PROTECTIVE MEASURES RESPIRATORY PROTECTION (SPECIFY TYPE) None required VENTILATION TO BE USED LOCAL EXHAUSE MECHANICAL (GENERAL) SPECIAL None required OTHER (SPECIFY) PROTECTIVE GLOVES N/A EYE PROTECTION N/A

N/A

N/A

Item Numbers: 00623-1014, 00623-1016, 00623-1017 Page 2 of 2