Version: 1.0 Date of print: 13.11.2019

Date of preparation / last revision: 31.07.2014

Trade name: Dry Cleaning Compound

#### 1. Identification

Tradename: <u>Dry Cleaning Compound</u>

Application of the substance / the mixture Carpet and Hard surface cleaning product

Manufacturer /supplier: Carpet Cleaner America LLC

Mailing address-PO Box 5721

Spartanburg, SC 29304

Physical Address-951 Simuel Rd

Spartanburg, SC 29301

Main: 864.576.9887 Fax: 1.888.349.6774

**E-mail competent person:** office@carpetcleaner-usa.com

Emergency telephone number: 1.800.535.5053 (INFOTRAC)

#### 2. Hazard(s) identification

Classification of the substance

or mixture

The product is not classified according to the Globally

Harmonized System (GHS).

Information concerning particular hazards for human

and environment:

No hazards to be particularly mentioned. Please note the

information of this Material Safety Data Sheet.

Classification system The classification complies with current legislation, but is

supplemented with information from technical literature and

company information.

Label elements

Hazard pictograms Void Signal word Void Hazard statements Void

Classification system The classification was made acc. to the current legislation and


expanded using company data and specialized literature.

NFPA ratings (scale 0 - 4)

Health = 0 Fire = 0

Version: 1.0 Date of print: 13.11.2019
Date of preparation / last revision: 31.07.2014

Trade name: Dry Cleaning Compound



Reactivity = 0

HMIS ratings (scale 0 - 4)

Health Hazard	0
Fire Hazard	0
Reactivity	0

Health = 0 Fire = 0 Reactivity = 0

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

## 3. Composition / information on ingredients

Chemical characterization Natural wood flour, moistened with water based

cleaning solution

**Description** Mixture of the substances listed below with non-

hazardous additions

**Dangerous components** 

9036-19-5 alkylpenol ethoxylate Acute Tox. 4, H 302; < 1%

Eye Dam. 1, H 318

26530-20-1 2-octyl-2H-isothiazol-3-one Acute Tox.3, H311; < 1%

Acute Tox.3, H331;

Skin. Corr. 1B, H314; Acute Tox. 4, H302; Skin

Sens. 1, H317

Version: 1.0 Date of print: 13.11.2019

Date of preparation / last revision: 31.07.2014

Trade name: Dry Cleaning Compound

Additional information For the wording of the listed risk phrases refer to

section 16.

TSCA All components are listed

7732-18-5 water, distilled, conductivity or of

similar purity

medical advice.

#### 4. First-aid measures

Description of first aid measures

General information: If symptoms persist or in case of doubt seek

**After inhalation:** Supply fresh air; consult doctor in case of

complaints. In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap

thoroughly. If symptoms persist, consult a

doctor.

After eye contact: Rinse opened eye for several minutes under

running water. If symptoms persist, consult a

doctor.

**After swallowing:** Do not induce vomiting. Drink plenty of water,

but never give anything to an unconscious person. If symptoms persist consult a doctor.

Most important symptoms and effects, both Allergic reactions.

acute and delayed

Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination, vital

functions).

#### 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight

larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the

environment. Water with full jet.

For safety reasons unsuitable extinguishing

agents

Special hazards arising from the substance

or mixture:

In case of fire, the following can be released:

- Carbon monoxide and carbon dioxide

- Nitrogen oxides (NOx)

- Sulphur oxides (SOx)

- Hydrogen Chloride (HCI)

- Risk of formation of toxic pyrolyzates

- Fume

Advice for fire fighters Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device. Wear fully protective suit.

Version: 1.0 Date of print: 13.11.2019

Date of preparation / last revision: 31.07.2014

Trade name: Dry Cleaning Compound

Additional information: Dispose of fire debris and contaminated fire

> fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage

system.

#### 6. Accidental release measures

Personal precautions, protective equipment

and emergency procedures

Wear protective clothing.

Avoid contact with eyes and skin. Do not breathe aerosol or vapors. Ensure adequate ventilation

Use respiratory protective device against the

effects of fumes/dust/aerosol.

**Environmental precautions:** Do not allow product to reach sewage system or

any water course.

Do not allow to penetrate the ground/soil.

Methods and material for containment and

cleaning up:

Sweep or vacuum up and dispose according to

regulations.

Send for recovery or disposal in suitable

receptacles.

Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal

protection equipment.

See Section 13 for disposal information.

#### 7. Handling and storage

Precautions for safe handling Ensure good ventilation / exhaustion at the

workplace.

Prevent formation of aerosols. Do not breathe aerosol or vapours. Avoid contact with eyes and skin.

Information about protection against

explosions and fires:

Keep ignition sources away – Do not smoke. Observe the general rules of industrial fire

protection.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and

receptacles:

Information about storage in one common

storage facility:

store receptacles tightly closed at a cool and dry

place with sufficient ventilation. Store away from foodstuffs.

Store away from feed.

Protect from heat and direct sunlight.

Recommended storage temperature:

Storage time:

Under optimal storage conditions, in original

unopened drums/containers, 12 month in closed

receptacles.

Storage class: 10-13 other combustible and non-combustible

substances

Specific end use(s): Follow the directions!

Version: 1.0 Date of print: 13.11.2019

Date of preparation / last revision: 31.07.2014

Trade name: Dry Cleaning Compound

### 8. Exposure controls/personal protection

Additional information about design of technical systems:

Install appropriate mechanical ventilation/exhaustion.
No further data, see section 7.

**Control parameters** 

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The lists that were valid during the creation were used as basis.

**Exposure controls** 

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling

chemicals should be followed.

Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. After skin contact, cleanse skin thoroughly. Se skin protection cream for skin protection. Wash hands before breaks and at the end of

work.

Immediately remove soiled, soaked clothing and

use again only after washing.

Breathing equipment: In case of unintentional release of substance,

exceeding the occupational exposure limit value:

Short term filter device: Filter A/P2

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

Protection of hands:

Chemical resistant gloves (EN 374)

The gloves material has to be impermeable and resistant to the product / the substance / the

preparation.

Due to missing tests no recommendation to the glove material can be given for the product / the preparation / the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

degradation.

After use of gloves apply skin-cleaning agents

and skin cosmetics.

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further

**Material of gloves** 

Version: 1.0 Date of print: 13.11.2019

Date of preparation / last revision: 31.07.2014

Trade name: Dry Cleaning Compound

marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Penetration time of glove material The exact break through time has to be found

out by the manufacturer of the protective gloves

and has to be observed.

Tightly sealed googles as described by OSHA's Eye protection:

eve and face protection regulations in 29 CFR

1910.133

**Body protection:** Protective work clothing

### 9. Physical and chemical properties:

Information on basic physical and chemical properties

Form: Solid, pulpy Colour: vellow

pH Value Approx.. 5 - 6. Odor: characteristic Density: Not determined Flash point: Not applicable.. **Flammability** Not applicable

Danger of explosion Product does not present an explosion hazard.

Solubility in / miscibility with water Not applicable.

Solvent content

**VOC** content 22,7 g/l 0,19 lb/gl

## 10. Stability and reactivity

Reactivity No further relevant information available.

Chemical stability Thermal decomposition/conditions to be

avoided

Possibility of hazardous reactions

Conditions to avoid

Incompatible materials

No decomposition if used and stored according

to specifications. No dangerous reactions known.

No further relevant information available. Strong oxidants, Reducing agents, Amines,

Strong leaches

Hazardous decomposition products No hazardous decomposition products if

instructions for storage and handling are

followed.

#### 11. Toxicological information

Information on toxicological effects

**Acute toxicity** 

LD/LC50 values that are relevant for ATE oral: > 5000 m/kg

classification

Version: 1.0 Date of print: 13.11.2019

Date of preparation / last revision: 31.07.2014

Trade name: Dry Cleaning Compound

26530-20-1 2-octyl-2H-isothiazol-3-one Oral LD50 550mg/kg (rat)

> Dermal LD 50 690 mg/kg (rabbit) Inhalative LC50/4h 0,27 mg/l (rat)

Primary irritant effect

On the skin No irritating effect. On the eye No irritating effect.

Sensitization No sensitizing effects known. Additional toxicological information

Presently no toxicological, chemical and physical data are available on which a more precise evaluation of further dangerous properties could be made. The properties of this substance have not been fully investigated. Further hazardous properties cannot be excluded. When used and handled according to specifications, the product does not have any harmful effects according to or experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on

NTP (National Toxicology Program) **OSHA-Ca (Occupational Safety & Health** 

Administration)

None of the ingredients is listed.

None of the ingredients is listed. None of the ingredients is listed.

#### 12. Ecological information

**Toxicity** 

Aquatic toxicity

No further relevant information available. 26530-20-1 2-octyl-2H-isothiazol-3-one EC50

EC50/48 h (static) LC50/96 h (static)

0,031 mg/l (Algae) 0,18 mg/l (Daphnia magna)

0,196 mg/l (Lepomis macrochirus) 0,047 mg/l (Oncorhynchus mykiss)

Persistence and degradability No further information available. Bioaccumulative potential No further information available.

Mobility in soil No further relevant information available.

Additional ecological information Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

**General notes** 

Results of PBT an vPvB assessment

**PBT** Not applicable. **vPvB** Not applicable.

No further relevant information available. Other adverse effects

#### 13. Disposal considerations

#### Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal according to instructions of local

Version: 1.0 Date of print: 13.11.2019

Date of preparation / last revision: 31.07.2014

Trade name: Dry Cleaning Compound

authorities.

Uncleaned packagings:

Recommendation: Disposal must be made according to official

regulations.

Recommended cleansing agent Water, if necessary with cleansing agents.

14. Transport information

**UN-Number** Void

DOT, ADR, ADN, IMDG, IATA

UN proper shipping name Void DOT, ADR, ADN, IMDG, IATA

Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA

**Class** Void

Packing group Void

DOT, ADR, ADN, IMDG, IATA

Environmental hazards:

Marine pollutant

No

Special precautions for user Not applicable

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Transport/Additional information Not dangerous according to the above

regulations.

Not applicable

UN "Model Regulation" -

## 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenic categories

EPA (Environmental Protection Agency) Void

TLV (Threshold Limit Value established by

ACGIH)

Void

MAK (German maximum workplace Void

Version: 1.0 Date of print: 13.11.2019

Date of preparation / last revision: 31.07.2014

Trade name: Dry Cleaning Compound

concentration)

NIOSH-Ca (National Institute for Occupational

Safety and Health)

Void

OSHA-Ca (Occupational Safety & Health

Administration)

Void

Regulation or reporting requirements USA

Prop. 65 – Cancer

Not listed

#### 16. Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Wording of the listed risk phrases:

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

Version: 1.0 Date of print: 13.11.2019

Date of preparation / last revision: 31.07.2014

Trade name: Dry Cleaning Compound

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent