

MATERIAL SAFETY DATA SHEET

SECTION 1 -- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Bleach (3.0% Regular, Lavender, Lemon, Floral, Fresh)

PRODUCT Brand 101 Bleach

EMERGENCY TELEPHONE NUMBERS

ISSUE DATE May 8, 2013

MANUFACTURER STREET ADDRESS CITY, STATE, ZIP

James Austin Company 115 Downieville Road Mars, PA 16046 Medical Information: 1-866-359-5662
Transportation: 1-800-424-9300*

* For spill, leak, fire or transport accident emergencies.
Product Information: 1-724-625-1535

SECTION 2 -- COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS
COMPONENT
CAS No. % by wt. OSHA PEL ACGIH TLV NIOSH REL
Sodium hypochlorite
7681-52-9
2.70 2.80
None
None
None

SECTION 3 -- HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW IRRITANT; may cause severe skin and eye irritation or chemical burns to broken skin. Vapors extremely irritating to eyes and respiratory tract.

Harmful and potentially fatal if swallowed. If mixed with other prohibited chemicals or materials, chlorine gas will be released which is also irritating to eyes, lungs, mucous membranes and in some cases can be fatal. (see Section 10 for more information)

POTENTIAL HEALTH EFFECTS	
INGESTION	Can cause corrosion of mucous membranes, severe esophageal burns and perforation of esophagus or stomach.
INHALATION	Inhalation of vapors can cause bronchial irritation, coughing, difficulty in breathing, nausea and pulmonary edema.
EYE CONTACT	Irritating to the eyes; may cause severe and permanent damage.
SKIN CONTACT	Severe irritant; contact can produce blistering and eczema.

MSDS	PRODUCT	101 Bleach	CODE	PAGE 2 OF 4

SECTION 4 -- FIRST AID MEASURES

INGESTION	If swallowed, DO NOT induce vomiting. Immediately drink a large quantity of water. Do not give liquids if victim is unconscious. Do not use acidic antidotes or sodium bicarbonate (baking soda). Do not administer alcohol. Call a physician or poison control center immediately.
INHALATION	If exposed to excessive vapor levels, remove to fresh air and seek medical attention if cough or other symptoms develop.
EYE CONTACT	Immediately flush eye with plenty of cool, running water. Remove contact lenses if applicable, and continue flushing for at least 15 minutes. Get medical attention immediately.
SKIN CONTACT	Flush affected skin area with copious amounts of water and wash with soap and water. If irritation develops or persists, get medical attention. Remove clothing and wash before reuse.
NOTE TO PHYSICIAN	Information pertaining to ingestion toxicology, therapy, symptomatology and treatment can be found in <u>Clinical Toxicology of Commercial Products</u> , authored by Gosselin, Smith and Hodge and published by Williams & Wilkins, Baltimore, Maryland. See listing for Hypochlorite in Therapeutics Index, Section III.

SECTION 5 -- FIRE FIGHTING MEASURES

FLASH POINT/METHOD	None / N.A.	FLAMMABLE	Not flammable or
		LIMITS	combustible
EXTINGUISHING MEDIA	If involved in a fire, alcohol foam, carbon dioxide, dry chemical or water fog. Use extinguishing media that is appropriate for surrounding fire.		
SPECIAL FIRE FIGHTING PROCEDURES	Avoid fumes from spilled or e clothing and OSHA/NIOSH scontainers with water spray from the containers with	elf-contained breathing appar	
FIRE AND EXPLOSION HAZARDS	Sodium hypochlorite bleach i heated. Decomposition prod reactions may occur with org.	ucts may cause containers to	explode. Vigorous

SECTION 6 -- ACCIDENTAL RELEASE MEASURES

RESPONSE	Small spills: Dilute product by flooding area with large quantity of water and flush to sanitary sewer.
TO SPILLS	Large spills: Contain run-off by diking with suitable material. Soak up liquid on inert absorbent and
	transfer to approved container. Prevent spill from entering sewers or waterways.

SECTION 7 -- HANDLING AND STORAGE

HANDLING PRECAUTIONS	Wash after handling and before eating. Use personal protective equipment and wear suitable chemical-resistant clothing. Keep container tightly closed when not in use. Follow label directions closely.
STORAGE PRECAUTIONS	Store upright in a cool (below 85 F), dry, well-ventilated area. Keep away from heat or direct sunlight. Separate from incompatible materials, such as acids, ammonia, soap-based products or organic materials. Protect containers from physical damage. Keep away from children.

MSDS PRODUCT 101 Bleach CODE PAGE 3 OF 4

SECTION 8 -- EXPOSURE CONTROLS / PERSONAL PROTECTION

HYGIENIC PRACTICES	Avoid breathing vapors. Do not store near food stuffs, water or feed.
	Protect eyes, skin and clothing from contact with this product.
ENGINEERING CONTROLS	Use local ventilation to remove vapors at the source.
	Facilities using this product must be equipped with an eyewash station.

PERSONAL PROTECTIVE EQUIPMENT

Χ	RESPIRATOR	Not normally necessary; use NIOSH approved respirator for concentrated vapors
Χ	GOGGLES / FACE SHIELD	Recommended but not needed. Should be chemical splash type.
Χ	APRON	Recommended but not needed to avoid skin contact and protect clothing from
		damage
Χ	GLOVES	Recommended but not needed, use impervious PVC/Neoprene with long
		gauntlet
Χ	BOOTS	Recommended but not needed to protect shoes and feet when using product for
		floor cleaning

SECTION 9 -- PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear pale yellow liquid	BOILING POINT	212 deg F
ODOR	Chlorine	FREEZING POINT	28 deg F
pH	12.0 – 13.0	VAPOR PRESSURE	17.5 mm Hg @ 20 C
SPECIFIC GRAVITY	1.045 – 1.065	VAPOR DENSITY	Not applicable
SOLUBILITY IN WATER	Complete	EVAPORATION RATE	Not applicable

SECTION 10 -- STABILITY AND REACTIVITY

CHEMICAL STABILITY		STABLE	X		UNSTABLE	
CONDITIONS TO AVOID	Heat or direct sunlight; temperatures above 85 F.					
		h solutions cont				
INCOMPATIBILITY		Acids, ammonia, ether, urea, oxidizable materials, soaps, oils, greases, phenolic disinfectants and metals (including nickel, copper, tin, aluminum and iron).				
HAZARDOUS PRODUCTS OF DECOMPOSITION	Chloramines f	Chlorine gas from contact with highly acidic materials. Chloramines from contact with ammonia. Polychlorinated phenols from contact with phenolic disinfectants.				
POLYMERIZATION		WILL NOT OCC	UR	X	MAY OCCUR	
CONDITIONS TO AVOID	Not applicable					

SECTION 11 -- TOXICOLOGICAL INFORMATION

CARCINOGENICITY

	THIS PRODUCT CONTAINS A KNOWN OR SUSPECTED CARCINOGEN
Χ	THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR ANTICIPATED CARCINOGENS ACCORDING
	TO THE CRITERIA OF THE NTP ANNUAL REPORT ON CARCINOGENS AND OSHA 29 CFR 1910, Z

OTHER EFFECTS

ACUTE	Toxicity arises from corrosive activity; stems from oxidizing potency, a function of concentration
CHRONIC	Not determined

SECTION 12 -- ECOLOGICAL INFORMATION

BIODEGRADABILITY		CONSIDERED BIODEGRADABLE	Х		NOT BIODEGRADABLE	
BOD / COD VALUE	Not established					
ECOTOXICITY	No data available					

SECTION 13 -- DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD	If in accordance with an NPDES permit or approved by local sewage treatment plant authority, small amounts may be flushed to a sanitary sewer with plenty of water. Large amounts of unused product must be disposed of as hazardous waste at an approved hazardous waste management facility.		
RCRA CLASSIFICATION	Hazardous, corrosive D002 (if pH is equal to or greater than 12.5)		
RECYCLE CONTAINER	YES X CODE 2-HDPE NO		

SECTION 14 -- TRANSPORT INFORMATION

DOT CLASSIFICATION	HAZARDOUS		NOT HAZARDOUS	Х
DOT Proper Shipping Name	Not regulated as per DOT/II	MDG/IATA		
Hazard Class	N/A			
Identification Number	N/A			
Packing Group	N/A			
Label/Placard	None			
RQ	None			
EXCEPTIONS				

SECTION 15 -- REGULATORY INFORMATION

REGULATORY STATUS

EPA REGISTERED (UNDER FIFRA)	No
FDA REGULATED	No
KOSHER	No
SARA TITLE III MATERIAL	Bottled product not regulated
USDA AUTHORIZED	No

SECTION 16 -- OTHER INFORMATION

NFPA CLASSIFICATION

1	BLUE	HEALTH HAZARD
0	RED	FLAMMABILITY
0	YELLOW	REACTIVITY
COR	WHITE	SPECIAL HAZARD

Approved Specifications

Federal Specification O-S-602E Commercial Item Description A-1427C

Information contained in this MSDS refers only to the specific material designated and does not relate to any process or use involving other materials. This information is based on data believed to be reliable, and the Product is intended to be used in a manner that is customary and reasonably foreseeable. Since actual use and handling are beyond our control, no warranty, express or implied, is made and no liability is assumed by James Austin Company in connection with the use of this information.