



Revision Date: 09/03/2004

Issue date: 09/03/2004

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product name:** Loctite(R) Silicone Lubricant Food Grade  
**Product type:** Lubricant  
**Company address:**  
Henkel Corporation  
1001 Trout Brook Crossing  
Rocky Hill, Connecticut 06067

**Item No. :** 81246  
**Region:** United States  
**Contact Information:**  
Telephone: 860.571.5100  
Emergency telephone: 860.571.5100  
Internet: www.loctite.com

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous components</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Butane 106-97-8	10-30	1000 ppm TWA listed under aliphatic hydrocarbon gases alkane C1-C4	800 ppm TWA	None
Naphtha (petroleum), heavy alkylate 64741-65-7	5-10	100ppm TWA	100ppm (TWA)	None
Propane 74-98-6	5-10	1000 ppm TWA listed under aliphatic hydrocarbon gases alkane C1-C4	1000 ppm TWA 1800 mg/m <sup>3</sup> TWA	None
White mineral oil (petroleum) 8042-47-5	1-5	5mg/m <sup>3</sup> TWA (mist.) 10mg/m <sup>3</sup> STEL (mist)	5mg/m <sup>3</sup> TWA (mist.)	None

### 3. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

##### HMIS:

**Physical state:** Aerosol  
**Color:** Clear  
**Odor:** Petroleum

**HEALTH:** 2  
**FLAMMABILITY:** 4  
**PHYSICAL HAZARD:** 0  
**Personal Protection:** See Section 8

**DANGER:** EXTREMELY FLAMMABLE.  
CONTENTS UNDER PRESSURE.  
MAY CAUSE EYE AND RESPIRATORY IRRITATION.

**Relevant routes of exposure:** Skin, inhalation, eyes

#### Potential Health Effects

**Inhalation:** Headache, dizziness, nausea, and loss of coordination are indications of excessive exposure to vapors or spray mists. Extreme overexposure may result in unconsciousness and possibly death.  
**Skin contact:** May cause skin irritation. Redness.  
**Eye contact:** May cause irritation.  
**Ingestion:** Not a relevant route of exposure.

**Existing conditions aggravated by exposure:** None generally recognized.

See Section 11 for additional toxicological information.

Item No. : 81246

Product name: Loctite(R) Silicone Lubricant Food Grade

#### 4. FIRST AID MEASURES

<b>Inhalation:</b>	Remove to fresh air. If symptoms develop and persist, get medical attention.
<b>Skin contact:</b>	Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms develop and persist.
<b>Eye contact:</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
<b>Ingestion:</b>	Do not induce vomiting. Obtain medical attention.

#### 5. FIRE-FIGHTING MEASURES

<b>Flash point:</b>	Less than 0°C (17.7°F) (Propellant)
<b>Flashback:</b>	This product exhibits no flashback when tested for flame extension.
<b>Flame Projection:</b>	47.52 inches (18 cm)
<b>Autoignition temperature:</b>	Not available
<b>Flammable/Explosive limits-lower %:</b>	1.0
<b>Flammable/Explosive limits-upper %:</b>	9.5
<b>Extinguishing media:</b>	Carbon dioxide (CO2). Dry chemical. Foam.
<b>Special fire fighting procedures:</b>	Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA). Water spray may be ineffective. If water is used, fog nozzles are preferable. Water should be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat.
<b>Unusual fire or explosion hazards:</b>	Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.
<b>Hazardous combustion products:</b>	Oxides of carbon.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Environmental precautions:</b>	Remove sources of ignition. Ventilate area.
<b>Clean-up methods:</b>	Soak up with inert absorbent. Store in a closed container until ready for disposal.

#### 7. HANDLING AND STORAGE

<b>Handling:</b>	Keep away from heat, spark and flame. Vapors will accumulate readily and may ignite explosively. During use and until all vapors are gone: Keep area ventilated - do not smoke; extinguish all flames, pilot lights, and heaters; turn off stoves, electrical tools and appliances, and any other sources of ignition.
<b>Storage:</b>	Do not puncture, incinerate, or expose to temperatures above 48.9 °C (120 °F). Heat from sunlight, radiators, stoves, hot water, and other heat sources could cause container to burst.
<b>Incompatible products:</b>	Not available

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Engineering controls:</b>	Use local ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits.
------------------------------	---

**Respiratory protection:** If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH for protection against materials in Section 2.

**Skin protection:** None required in normal use. Chemical resistant, impermeable gloves.

**Eye/face protection:** Safety goggles or safety glasses with side shields.

See Section 2 for exposure limits.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:** Aerosol  
**Color:** Clear  
**Odor:** Petroleum  
**Vapor pressure:** Not available  
**pH:** Not applicable  
**Boiling point/range:** <-18-211°C (<0-211°F)  
**Melting point/range:** Not available  
**Specific gravity:** 0.81  
**Vapor density:** Not available  
**Evaporation rate:** Not available  
**Solubility in water:** Not available  
**Partition coefficient (n-octanol/water):** Not available  
**VOC content:** <34% (minus exempt solvents and water). (calculated)

## 10. STABILITY AND REACTIVITY

**Stability:** Stable.

**Hazardous polymerization:** Will not occur.

**Hazardous decomposition products:** Oxides of carbon.

**Incompatibility:** None known.

**Conditions to avoid:** None known.

## 11. TOXICOLOGICAL INFORMATION

### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Butane 106-97-8	No	No	No
Naphtha (petroleum), heavy alkylate 64741-65-7	No	No	No
Propane 74-98-6	No	No	No
White mineral oil (petroleum) 8042-47-5	No	No	No

### Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Butane 106-97-8	Cardiac, Central nervous system, Irritant
Naphtha (petroleum), heavy alkylate 64741-65-7	Irritant
Propane 74-98-6	Cardiac, Central nervous system, Irritant
White mineral oil (petroleum) 8042-47-5	Irritant

## 12. ECOLOGICAL INFORMATION

Ecological information: Not available

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Depressurize cans. Do not incinerate. Dispose of in accordance with Federal, State and local regulations.

**EPA hazardous waste number:** Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

## 14. TRANSPORT INFORMATION

### U.S. Department of Transportation Ground (49 CFR):

**Proper shipping name:** Aerosols, flammable  
**Hazard class or division:** 2.1  
**Identification number:** UN 1950  
**Packing group:** None  
**Exceptions:** (Not more than 1 Liter) Consumer Commodity ORM-D  
**Marine pollutant:** None

### International Air Transportation (ICAO/IATA):

**Proper shipping name:** Aerosols, flammable  
**Hazard class or division:** 2.1  
**Identification number:** UN 1950  
**Packing group:** None  
**Exceptions:** (Not more than 500mL) ID8000

### Water Transportation (IMO/IMDG):

**Proper shipping name:** Aerosols, flammable  
**Hazard class or division:** 2.1  
**Identification number:** UN 1950  
**Packing group:** None  
**Exceptions:** Limited quantity (Not more than 1 L)  
**Marine pollutant:** None

## 15. REGULATORY INFORMATION

### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.  
**TSCA 12 (b) Export Notification:** None.

**CERCLA/SARA Section 302 EHS:** None.  
**CERCLA/SARA Section 311/312:** Immediate Health Hazard, Delayed Health Hazard, Fire  
**CERCLA/SARA 313:** None.

**California Proposition 65:** No California Proposition 65 listed chemicals are known to be present.

### Canada Regulatory Information

**CEPA DSL/NDSL Status:** All other components are listed on or are exempt from listing on the Domestic Substances List.  
**WHMIS hazard class:** A, B.5, D.2.B

## 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: Revised to new format.

Prepared by: C.J. Michaels, Senior Health & Regulatory Affairs Specialist

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.