

Safety Data Sheet

Issue date 13-Nov-2018 Version 2

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name CHAMPION SPRAYON PHENOL DISINFECTANT

Chemical name 7-7814-3

Other means of identification

Product code FG 438-5160-8 Synonyms Disinfectant Spray

Registration number(s) 498-134

Recommended use of the chemical and restrictions on use

Recommended UseTo disinfect hard, non-porous, inanimate surfaces. **Uses advised against**Do not spray on varnished, painted or plastic surfaces.

Details of the supplier of the safety data sheet

Supplier Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

Emergency Telephone Number

Company Phone Number 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 1
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

Causes serious eye irritation

EXTREMELY FLÄMMABLE AEROSOL

Contains gas under pressure; may explode if heated



Appearance Clear to yellow-greenish

Physical State Aerosol

Odor Perfumed.

liquid.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Hazards not otherwise classified (HNOC)

Other Information

· Toxic to aquatic life with long lasting effects

15.22% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

Synonyms Disinfectant Spray.

Chemical Family MIXTURES.

Formula 7-7814-3

Chemical nature Aqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Ethyl alcohol	64-17-5	60-65	*
1,1-Difluoroethane	75-37-6	10-15	*
N-Butane	106-97-8	1-5	*
Propane	74-98-6	1-5	*
O-phenylphenol	90-43-7	0.1	*

Chemical Additions

4. First aid measures

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Wash with soap and water. If irritation develops, consult a physician.

Inhalation If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

Ingestion Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches.

Prolonged and repeated contact with the eyes may cause mild irritation.

See label for active ingredients information.

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

Indication of any immediate medical attention and special treatment needed

Note to physicians None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

Other Information Keep out of reach of children.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid getting spray into eyes. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing

temperatures. AEROSOL STORAGE LEVEL II (NFPA 30B).

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
N-Butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m³	IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m³
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content, explosion hazard	TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³

Appropriate engineering controls

Engineering controlsUse with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Household type gloves, if desired.

Respiratory protection None required if used in a well-ventilated area.

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Aerosol

Appearance Clear to yellow-greenish liquid. Odor Perfumed.

Color Clear to yellow-greenish Odor threshold No information available

Property
pHValues
10.80Remarks • Method
No information available
No information available
No information available
No information availableWelting point/freezing point
Boiling point/boiling range
Flash PointNA
173-181 °F/78.4 °C Ethyl alcohol
Not available. This is an aerosolNo information available
No information available

product with a Flame Projection of 18 in. with 3 in. flashback. Temperatures above 120 °F may cause cans to burst.

Evaporation Rate Faster than butyl acetate No information available

No information available

Flammability Limits in Air

No information available

Upper flammability limitsNot availableLower Flammability LimitNot available

Vapor pressure Not available No information available

Vapor Density

No information available

No information available

Relative Density0.844 concentrateNo information availableWater solubilitycompletely solubleNo information availableSolubility in other solventsNo information available

Partition coefficient

Autoignition Temperature

Decomposition temperature

Kinematic viscosity

No information available
No information available
No information available
No information available

Dynamic viscosity Explosive propertiesNo information available

Explosive propertiesNo information availableOxidizing propertiesNo information available

Other Information

Flammability (solid, gas)

Softening pointNo information availableMolecular weightNo information available

VOC content (%) 69.2%

Density No information available

Bulk Density 7.03 Lb/gal

10. Stability and Reactivity

Reactivity

Not applicable No data available

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness

and nausea. Prolonged and repeated contact with skin may cause irritation and reddening.

Contact with eyes causes irritation.

Inhalation See data below.

Eye Contact No data available.

Skin contact No data available.

Ingestion This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF

SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
64-17-5			
N-Butane	-	-	= 658 g/m ³ (Rat) 4 h
106-97-8			
Propane	-	-	> 800000 ppm (Rat) 15 min
74-98-6			
O-phenylphenol	= 2 g/kg (Rat)	> 2000 mg/kg (Rat)	> 0.949 mg/L (Rat)1 h
90-43-7			

Information on toxicological effects

Symptoms See information above.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitizationNo information available. **Germ cell mutagenicity**No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	X
O-phenylphenol 90-43-7		Group 3		

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 15.22% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 9471 mg/kg
ATEmix (inhalation-gas) 4184003 mg/l
ATEmix (inhalation-dust/mist) 167.3 mg/l
ATEmix (inhalation-vapor) 164 mg/l

12. Ecological Information

ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Ethyl alcohol		100: 96 h Pimephales	EC50 = 34634 mg/L 30 min	2: 48 h Daphnia magna
64-17-5		promelas mg/L LC50 static	EC50 = 35470 mg/L 5 min	mg/L EC50 Static 9268 -
		13400 - 15100: 96 h		14221: 48 h Daphnia magna
		Pimephales promelas mg/L		mg/L LC50 10800: 24 h
		LC50 flow-through 12.0 -		Daphnia magna mg/L EC50
		16.0: 96 h Oncorhynchus		
		mykiss mL/L LC50 static		
O-phenylphenol	0.85: 72 h Desmodesmus	2.74: 96 h Lepomis	EC50 = 2.05 mg/L 5 min	1 - 2.5: 48 h Daphnia magna
90-43-7	subspicatus mg/L EC50	macrochirus mg/L LC50 5.8:		mg/L EC50 Static
		96 h Poecilia reticulata mg/L		_
		LC50 static 3.4: 96 h		
		Pimephales promelas mg/L		
		LC50 flow-through 2.75: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50		

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient
Ethyl alcohol	-0.32
64-17-5	
N-Butane	2.89
106-97-8	
Propane	2.3
74-98-6	
O-phenylphenol	3.18
90-43-7	

Other adverse effects No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastesDo not puncture or incinerate container. If empty: Place in trash or offer for recycling if

available. If partly filled: Call your local solid waste agency for disposal instructions.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use.

Chemical name	California Hazardous Waste Status
Ethyl alcohol	Toxic
64-17-5	Ignitable

14. Transport Information

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class ORM-D

<u>IATA</u>

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

IMDG

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.

Marine pollutant This product does not contain marine pollutants.

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
O-phenylphenol - 90-43-7	90-43-7	0.1	1.0

SARA 311/312 Hazard Categories

Acute Health HazardyesChronic Health HazardyesFire HazardyesSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
O-phenylphenol - 90-43-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	X	X	X
1,1-Difluoroethane 75-37-6	X	X	
N-Butane 106-97-8	X	X	X
Propane 74-98-6	X	X	X
O-phenylphenol 90-43-7	X	X	X

U.S. EPA Label information

EPA Pesticide registration number 498-134

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: WARNING: Causes eye irritation. Do not get in eyes. Avoid contact with skin. Avoid contamination of foodstuff.

16. Other information

NFPA Health Hazards 1 Flammability 4 Instability 1 Physical and chemical

properties Not applicable

HMIS Health Hazards 1* Flammability 4 Physical hazards 1 Personal Protection B -

Eyes and hands protection

Chronic Hazard Star Legend See Section 11: TOXICOLOGICAL INFORMATION

Prepared by Regulatory Department

Issue date 13-Nov-2018

Revision note

This SDS supersedes a previous SDS dated June 01, 2015.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet