Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): Product Division:

Janitorial BLOC-AID

Product Number: 7380; 7585

Spartan Chemical Company,

Product/Technical 1-(800)-537-8990 Information: Inc.

1110 Spartan Drive Medical Emergency:1-(888)-314-6171 (24 hours)

Chemical Leak/SpillCHEMTREC 1-(800) 424-9300 (24 **Maumee OH 43537**

Emergency:hours)

Shipping Description: Corrosive liquids, n.o.s., 8, UN 1760, II, (contains sodium hydroxide)			
NFPA Ratings:		HMIS Ratings:	
Health:	4 - Extreme	Health:	4 - Extreme
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	1- Slight	Reactivity:	1- Slight
			See Section VIII
		Equip.:	

▼ SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z- 1 - A			NED IADO
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m	CELING	NTP, IARC or OSHA Carcinogen
Sodium hydroxide	30-40	1310-73-2	2	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point:	255 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	> 13.5	Specific Gravity (H ₂ O=1):	
Evaporation Rate (but.ace.=1):		Percent Solid by Weight:	
Physical State:	Liquid		

Appearance & Odor:	Clear red liquid, no odor

▼ SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 255 °F	Method Used:	ASTM-D56
Flammable Limits:	N/A	Flame Extension:	N/A
	Extinguishing Media: Product does not support con appropriate for surrounding		tinguishing media
	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Products of combustion are toxic.		

▼SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral
Effects of Overexposure	- CORROSIVE:	
_	: Causes irreversible eye destruction, swelling an Causes severe skin dam destruction and chemical Harmful or fatal if swall and damage to mouth, the leading to death. Product Inhalation of product mitiritation.	hage. Symptoms include pain, tissue all burns. lowed. Ingestion can produce pain, irritation hroat and gastrointestinal tract possibly ct is considered to be a poison. ist may cause respiratory system damage or tin or clothing. Do not taste or swallow. Avoid
		aggravate preexisting skin; eye and acluding asthma and dermatitis.

Emergency & First Aid Procedures:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses after the first 5 minutes then continue rinsing eye. Get immediate medical attention.
Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Get medical attention. Wash contaminated clothing before reuse.
Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate

the use of gastric lavage.
Inhalation: In case of respiratory irritation; move person to fresh air. Get medical attention if irritation persists.

▼SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Strong oxidizers Materials:
Hazardous CO, CO2	Hazardous Will Not Occur
Decomposition Products:	Polymerization:

▼SECTION VII: SPILL OR LEAK PROCEDURES

Case	Dike and contain spill with inert material (sand , earth, etc.) and transfer the liquid and solid separately to containers for recovery and disposal. Keep spill out of sewers and open bodies of water.
Waste Disposal Method:	Dispose of in compliance with all Federal, state and local laws and regulations. Incineration is the preferred method.

▼ SECTION VIII: SPECIAL PROTECTION INFORMATION

	Not normally required when good general ventilation is provided. However if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered. (N95 or greater recommended)
1	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or neoprene gloves are recommended to prevent skin contact.
Eye Protection(Specify Type):	Splash goggles and face shield are recommended.
1	Eye wash stations and washing facilities should be readily accessible. See 29 CFR 1910.132-138 for further guidance.

▼SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling &	Keep from freezing. Store at temperatures below 140 F. Keep
Storing:	containers closed until used.
	Do not contaminate drinking water; food or feed by storage or
	disposal.
Other Precautions:	Keep out of reach of children.

© SCC 10/23/2010 Name: Ronald T. Cook Title: Manager, Regulatory

Affairs

BLOC-AID Effective 10/23/2010 Supercedes:11/01/2007

Date:

Ref: 29 CFR 1910.1200 Changes: General Update

(OSHA)

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.