

Safety Data Sheet

Ammonium Hydroxide

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Ammonium Hydroxide

Synonyms/Generic Names: Aqueous ammonia, Ammonia solution

SDS Number: 46.00

Product Use: For Educational Use Only

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information Contact: Ward's Science

5100 West Henrietta Rd. PO Box 92912-9012 Rochester, NY 14692

(800) 962-2660 (Monday-Friday 7:30-7:00 Eastern Time)

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

OSHA Hazards: Toxic by ingestion, Corrosive

Target Organs: Mucous membranes, respiratory system, skin, eyes

Signal Words: Danger

Pictograms:







GHS Classification:

Acute toxicity, Oral	Category 4
Skin corrosion	Category 1A
Serious eye damage	Category 1
Acute aquatic toxicity	Category 1

GHS Label Elements, including precautionary statements:

Hazard Statements:

i dada di		
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H400	Very toxic to aquatic life.	

Revised on 01/28/2013 Page 1 of 6

Precautionary Statements:

P273	Avoid release into the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses if present and easy to do so. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/physician.	

Potential Health Effects

Eyes	Causes eye burns.		
Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous		
	membranes and upper respiratory tract.		
Skin	May be harmful if absorbed through skin. Causes skin burns.		
Ingestion	Toxic if swallowed.		

NFPA Ratings

Health	3
Flammability	0
Reactivity	0
Specific hazard	Not Available

HMIS Ratings

Health	3
Fire	0
Reactivity	0
Personal	Н

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Ammonium Hydroxide	28-30	1336-21-6	215-647-6	NH ₄ OH	35.04 g/mol
Water	Balance	7732-18-5	231-791-2	H₂O	18.00 g/mol

4. FIRST-AID MEASURES

Eyes	In case of eye contact, rinse with plenty of water and seek medical attention immediately.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not
	breathing, give artificial respiration. Get medical attention immediately.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated
	clothing and wash using soap. Get medical attention immediately.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If
	conscious, wash out mouth with water. Get medical attention immediately.

5. FIREFIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Product is not flammable. Use water spray, alcohol-resistant foam, dry chemical, carbon dioxide for adjacent fire. Cool containers with water.
Special protective equipment	Wear self-contained, approved breathing apparatus and full protective
and precautions for firefighters	clothing, including eye protection and boots.
Specific hazards arising from	Emits toxic fumes (nitrogen oxides and ammonia) under fire conditions.
the chemical	(See also Stability and Reactivity section). Forms explosive compounds
	with many heavy metals such as silver, lead, zinc and their halide salts.
	It can form shock sensitive compounds with halogens, mercury oxide,
	and silver oxide.

Revised on 01/28/2013 Page 2 of 6

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and	See section 8 for recommendations on the use of personal protective equipment.
emergency procedures	
Environmental precautions	Prevent spillage from entering drains. Any release to the environment
	may be subject to a federal/national or local reporting requirements.
Methods and materials for	Cleanup personnel need personal protection from inhalation and skin/eye
containment and cleaning up	contact. Evacuate and ventilate the area. Neutralize spill. Absorb
	neutralized spill with vermiculite or other inert absorbent material, then
	place in a suitable container for disposal. Clean surfaces thoroughly with
	water to remove residual contamination. Dispose of all waste or cleanup
	materials in accordance with local regulations. Containers, even when
	empty, will retain residue and vapors.

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use.

Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities). Drains for storage or use areas for this material should have retention basins for pH adjustment and dilution of spills.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Controls:

Component	Exposure Limits	Basis	Entity
Ammonia	25 ppm 17 mg/m ³	TLV	ACGIH
	35 ppm 24 mg/m ³	STEL	ACGIH
	50 ppm 35 mg/m ³	PEL	OSHA
	25 ppm 18 mg/m ³	REL	NIOSH
	35 ppm 27 mg/m ³	STEL	NIOSH

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

Revised on 01/28/2013 Page 3 of 6

Personal Protection

Eyes	Wear chemical safety glasses with a face shield for splash protection.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear neoprene or rubber gloves, apron and other protective clothing appropriate to the risk of exposure.
Other	Not Available

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling. Have supplies and equipment for neutralization and running water available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor	Ammonia-like
Odor threshold	5 to 50 ppm
pH	Basic, >11
Melting point/freezing point	-60°C (-76°F)
Initial boiling point and boiling range	38-100° (100-212°F) at 1,013 hPa (760 mmHg)
Flash point	Not Flammable
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	Not Available
Vapor density	Not Available
Relative density	0.9 g/ml at 25°C (77°F)
Solubility (ies)	Completely soluble in water
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable	
Possibility of Hazardous Reactions	Will not occur.	
Conditions to Avoid	Incompatible materials	
Incompatible Materials	Acrylic acid, chlorosulfonic acid, dimethyl sulfate, fluorine, hydrochloric acid, hydrofluoric acid, hydrogen peroxide, iodine, nitric acid, oleum, propiolactone, propylene oxide, silver nitrate, silver oxide, nitromethane, silver permanganate, sulfuric acid, halogens. Forms explosive compounds with many heavy metals (silver, lead, zinc) and halide salts.	
Hazardous Decomposition Products	Nitric oxides and ammonia.	

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Skin	Not Available	
Eyes	Eyes – rabbit – severe eye irritation.	
Respiratory	Not Available	
Ingestion	LD50 – rat – 350 mg/kg	

Revised on 01/28/2013 Page 4 of 6

Carcinogenicity

IARC	No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified
	as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Material is extremely destructive to skin. Burning, irritation.
Eyes	Material is extremely destructive to eyes. Burning, irritation.
Respiratory	Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, inflammation and edema of the bronchi, pneumonitis, and pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract.
Ingestion	Material is extremely destructive to esophagus and digestive tract. Burning, irritation.

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	For bacteria/yeast
Embryotoxicity	Not Available
Specific Target Organ Toxicity	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Vertebrate	LC50: 0.1 ppm 24 hours [Rainbow trout]
	8.2 mg/l 96 hours [Fathead minnow]
	0.1 ppm 48 hours [Bluegill]
Aquatic Invertebrate	LC50: 32 mg/l 50 hours [Daphnia magna]
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before
	disposing of waste products or residues.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

Revised on 01/28/2013 Page 5 of 6

14. TRANSPORT INFORMATION

US DOT	UN2672. Ammonia Solution, 8, pg III
TDG	UN2672. AMMONIA SOLUTION, 8, pg III
IMDG	UN2672. AMMONIA SOLUTION, 8, pg III
Marine Pollutant	No
IATA/ICAO	UN2672. Ammonia Solution, 8, pg III

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory
California Proposition 65	Not Listed
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Ammonium Hydroxide
SARA 312	Ammonium Hydroxide
SARA 313	Listed: Ammonium Hydroxide
WHMIS Canada	Class E: Corrosive liquid
	Class D-1B: Material causing other toxic effects (very toxic)

16. OTHER INFORMATION

Revision	Date
Revision 1	01/28/2013

Disclaimer: Columbus Chemical Industries, Inc. ("Columbus") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because Columbus has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. COLUMBUS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.

Revised on 01/28/2013 Page 6 of 6