

# Material Safety Data Sheet U.S. Department of Labor

Occupational Safety and Health Administration  
(OSHA Non-Mandatory Form)

May be used to comply with

OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

Form Approved  
OMB No. 1218-0072

<b>IDENTITY (As Used on Label and List)</b> "SHEILA SHINE" (Aerosol)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

**Section I**

<b>Manufacturer's Name</b> SHEILA SHINE, INC.	<b>Emergency Telephone Number</b> CHEM-TEL, INC. (800) 255-3924
<b>Address (Number, Street, City, State, and ZIP Code)</b> 1201 NW First Ave.	<b>Telephone Number for Information</b> (800) 633-0481
Miami, FL	<b>Date Prepared</b> April 20, 2004
33138-2807	<b>Signature of Preparer (optional)</b>

**Section II - Hazard Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity Common Name(s)) (OSHA, 29 CFR 1910.1200)	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Tuflo-10, CAS #64741-89-5	NA	NA	0.5 g/cu.m. (oil mist)	-
Xylene, CAS #1330-20-7	NA	100 ppm	NA	-
Carbon Dioxide, CAS #124-38-8	NA	5000 ppm	NA	-
Methyl Salicylate, CAS #119-36-8	NA	NA	NA	-
Perchloroethylene, CAS #127-18-6	NA	100 ppm	NA	-
Acetone, CAS #67-64-1	750 ppm	750 ppm	500 ppm DFG	-

All components are on ISCA list. Perchloroethylene is a suspected carcinogen.

### Section III - Physical/Chemical Characteristics

Boiling Point (deg.C.)	> 80	Specific Gravity (H <sub>2</sub> O = 1)	0.935
Vapor Pressure (mm Hg.)	3.9	Melting Point, deg.C.	NA
Vapor Density (AIR = 1)	3.4	Evaporation Rate: (Butyl Acetate = 1)	< 1
Solubility in Water Insoluble			
Appearance and Odor Clear colorless liquid with wintergreen fragrance.			

### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 59 deg. C (Tag Open Cup)	Flammable Limits	LEL NA	UEL NA
Extinguishing Media Dry chemical, foam			
Special Fire Fighting Procedures Wear self-contained breathing apparatus, helmet, shield, boots, and coat			
Unusual Fire and Explosion Hazards Isolate from oxidizers, open flame, and sparks.			

NOTE: NFPA Rating: Health 2, Flammability 2, Reactivity 0  
 HMIS Rating: Health 1, Flammability 2, Reactivity 0

OSHA 174, Sept. 1985

(Reproduce locally)

### Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid Isolate from oxidizers, flame, sparks.
	Stable	Yes	Oxidizing agents. NA
Incompatibility (Materials to Avoid) Isolate from strong oxidizers, eg. chromates, peroxides, etc.			
Hazardous Decomposition or Byproducts Carbon monoxide, carbon dioxide			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	NA

### Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation Yes,	Skin? Yes	Ingestion? Yes
Health Hazards (Acute and Chronic) <i>Acute:</i> Inhalation: Remove to fresh air. Skin contact: Remove contaminated clothing, wash with soap and water for 15 minutes. Swallowing: Do not induce vomiting, seek medical help immediately. <i>Chronic:</i> Not known.			

**Section VIII - Control Measures**

<b>Respiratory Protection (Specify Type)</b>  If needed use respirator suitable for organic vapors.		
<b>Ventilation</b> AC or outdoors	<b>Local Exhaust</b> Hood or exhaust fan.	<b>Special</b> None
	<b>Mechanical (General)</b> Ordinary AC or exhaust fans.	<b>Other</b> None

<b>Protective Gloves</b>  Chemical resistant.	<b>Eye Protection</b>  Required.
---	--

<b>Other Protective Clothing or Equipment</b>  Generally not needed.
--

<b>Work/Hygienic Practices</b>  Normal care and cleanliness.
--

X			
X			
X			
Carcinogenicity:	NTP? No	IARC Monographs? No	OSHA Regulated? Yes
X			
Signs and Symptoms of Exposure	Dizziness, nausea		
NA			
Medical Conditions Generally Aggravated by Exposure	Vomiting, diarrhea, irritation to eyes, nose, and throat.		
	May contribute to allergies.		
Emergency and First Aid Procedures	For skin exposure, wash well with soap and water for 15 minutes. For eye exposure, flush with copious quantities of water, and get medical attention. For inhalation, remove to fresh air and give oxygen if breathing is difficult. For ingestion, do not induce vomiting, get medical attention immediately.		
X			

**Section VII - Precautions for Safe Handling and Use**


Steps to Be Taken in Case Material is Released or Spilled	Use absorbent material to soak up spill. Dike area if needed. Ventilate area, mop up material and dispose of material properly. Take hazard precautions in accordance with local, state, and federal regulations.
Waste Disposal Method	Dispose of material in accordance with local, state and federal regulations Materials may be recycled.
Precautions to Be Taken in Handling and Storing	Store tight containers in cool, well-ventilated area.
X	
Other Precautions	If large quantities are involved, use safety shower and eyewash fountain.

**SECTION IX: OTHER INFORMATION**

**THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. ALL DATA ARE PROVIDED WITHOUT WARRANTY, EXPRESS OR IMPLIED, REGARDING THEIR CORRECTNESS OR ACCURACY.**

**SHEILA SHINE, INC. AND APPLIED CONSUMER SERVICES, INC. SHALL NOT BE LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING, STORAGE, OR CONTACT WITH THE ABOVE PRODUCT. IT IS THE USER'S RESPONSIBILITY BOTH TO DETERMINE SAFE CONDITIONS FOR THE USE AND HANDLING OF THE PRODUCT AND TO ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSE RESULTING FROM THE USE OF THE PRODUCT.**

**INFORMATION COMPILED BY:**



**DR. BURCH STEWART  
APPLIED CONSUMER SERVICES, INC.**

