according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.16.2015

Barium Nitrate

SECTION 1 : Identification of the substance/mixture and of the supplier				
Product name :	Barium Nitrate			
Manufacturer/Supplier Trade name:				
Manufacturer/Supplier Article number:	S25190			
Recommended uses of the product and uses restrictions on use:				
Manufacturer Details:				
AquaPhoenix Scientific				
9 Barnhart Drive, Hanover, PA 17331				
Supplier Details:				
Fisher Science Education				

15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Oxidizing solids (Category 2) Acute toxicity , Oral (Category 4) Acute toxicity , Inhalation (Category 4) Eye irritation (Category 2A)

Signal word : Danger

Hazard statements: May intensify fire; oxidizer Causes serious eye irritation Precautionary statements: If medical advice is needed, have product container or label at hand Keep out of reach of children Read label before use Do not eat, drink or smoke when using this product IF ON SKIN: Immerse in cool water/wrap in wet bandages

Combustible Dust Hazard: :

May form combustible dust concentrations in air (during processing).


Other Non-GHS Classification:

WHMIS

Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.16.2015

Page 2 of 8



SECTION 3 : Composition/information on ingredients

Ingredients:		
CAS 10022-31-8	Barium Nitrate	100 %
Percentages are by weight		

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid. Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

After skin contact: Flush with water for 15 minutes while removing contaminated clothes and shoes . Get medical assistance if irritation develops. Wash affected area with soap and water. Rinse thoroughly. Seek medical attention if irritation, discomfort or vomiting persists.

After eye contact: Immediately flush eyes with water for at least 15 minutes. Immediate ly get medical assistance.Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Call a poison control center. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical aid.Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.16.2015

Page 3 of 8

Barium Nitrate

Irritation, Nausea, Headache, Shortness of breath.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.Notes to Physician For methemoglobinemia, administer oxygen alone or with Methylene Blue.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

For safety reasons unsuitable extinguishing agents: Dry chemicals.

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Advice for firefighters:

Protective equipment: Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Move product containers away from fire or keep cool with water spray as a protective measure, where feasible.Use spark-proof tools and explosion-proof equipment.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Transfer to a disposal or recovery container.Use spark-proof tools and explosionproof equipment.Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation.Keep away from ignition sources. Protect from heat.Stop the spill, if possible. Contain spilled material by diking or using inert absorbent.

Environmental precautions:

Should not be released into the environment .Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13

Methods and material for containment and cleaning up:

Vacuum or sweep up material and place into a suitable disposable container. A void generat ing dust. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation. Do not use combustible materials s uch as paper towels . If in a laboratory setting, follow Chemical Hygiene Plan procedures.Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor.Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Wash hands after han dling. Avoid contact with skin and eyes . Avoid ingestion and inhalation. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with clothing and other combustible materials. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Avoid generation of dust or fine particulate. Avoid contact with eyes, skin, and clothing. Wash hands after handling. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Store in a tightly closed container i n a cool, dry, well - ventilated area . Keep away from heat, sparks, and flame. Do not store near combustible materials. Store in a tightly closed container. Store in a cool,

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.16.2015

Barium Nitrate

dry, well - ventilated area away from incompatible substances. Keep away from reducin g agents. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan.Use only in well ventilated areas.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents.Store in cool, dry conditions in well sealed containers. Keep container tightly sealed.Do not store near combustible materials.

SECTION 8 : Exposure controls/personal protection

Control Parameters:	10022-31-8, Barium Nitrate, ACGIH TLV: 0 .5 mg/m3 (Barium) , OSHA PEL: 0. 5mg/m3 (Barium) 10022-31-8, NIOSH, 50 mg/m3 IDLH (as Ba)
Appropriate Engineering controls:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling.Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
Respiratory protection:	Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.
Protection of skin:	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled.Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
Eye protection:	Safety glasses with side shields or goggles.
General hygienic measures:	The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

SECTION 9 : Physical and chemical properties

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.16.2015

Barium Nitrate

Appearance (physical state,color):	White crystals.	Explosion limit lower: Explosion limit upper:	Not Determined Not Determined
Odor:	Odorless	Vapor pressure:	Not Determined
Odor threshold:	Not Determined	Vapor density:	9.0
pH-value:	5.0-8.0 (5% Aqueous soln.)	Relative density:	3.24 @23C
Melting/Freezing point:	592 C	Solubilities:	Moderately soluble in water.
Boiling point/Boiling range:	Decomposes	Partition coefficient (n- octanol/water):	Not Determined
Flash point (closed cup):	Not Determined	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	Not Determined	Decomposition temperature:	592C
Flammability (solid,gaseous):	Not Determined	Viscosity:	a. Kinematic:Not Determined b. Dynamic: Not Determined
Density: Not Determined			

SECTION 10 : Stability and reactivity

Reactivity:

Chemical stability:Stable under normal conditions of use and storage.No decomposition if used and stored according to specifications.

Possible hazardous reactions:

Conditions to avoid:Dust generation.Store away from oxidizing agents, strong acids or bases.

Incompatible materials:Re ducing agents, acids, bases, aluminum, hydroxylamine, magnesium, phosphorus, zinc, esters , combustible and flammable materials , acid anhydrides, tin chloride.Strong acids.Strong bases. **Hazardous decomposition products:**Nitrogen oxides, barium oxide.Carbon oxides (CO, CO2).

SECTION 11 : Toxicological information

Acute Toxicity:				
Oral:	10022-31-8	LD50 Rat 355 mg/kg		
Chronic Toxicity: No additional information.				
Corrosion Irritation: No additional information.				
Sensitization:		No additional information.		
Single Target Organ (STOT):		No additional information.		
Numerical Measures:		No additional information.		
Carcinogenicity:		No additional information.		
Mutagenicity:		No additional information.		

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.16.2015

Page 6 of 8

Barium Nitrate

Reproductive Toxicity:

No additional information.

SECTION 12 : Ecological information

Ecotoxicity Persistence and degradability: Readily degradable in the environment. Bioaccumulative potential: Mobility in soil: Other adverse effects:

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Dilute with water and flush to sewer. All chemical waster generators must determine whether a discarded chemical is classified as hazardous waste. Comply with all local, state, and federal regulations.Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14 : Transport information

UN-Number

1446

UN proper shipping name

BARIUM NITRATE

Transport hazard class(es)

Class: 5.1 Oxidizing substances

Packing group:|| Environmental hazard: Transport in bulk: Special precautions for user:

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

None of the ingredients is listed

SARA Section 313 (Specific toxic chemical listings):

10022-31-8 Barium Nitrate

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Effective date : 01.16.2015

Barium Nitrate

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

10022-31-8 Barium Nitrate

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.Note:. The responsibility to provide a safe workplace remains with the user.The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.The information contained herein is, to the best of our knowledge and belief, accurate.However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material.It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods PNEC: Predicted No-Effect Concentration (REACH) CFR: Code of Federal Regulations (USA) SARA: Superfund Amendments and Reauthorization Act (USA) RCRA: Resource Conservation and Recovery Act (USA) TSCA: Toxic Substances Control Act (USA) NPRI: National Pollutant Release Inventory (Canada) DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH)

Page 7 of 8

e date : 01 16 2015

Effective date : 01.16.2015

Page 8 of 8

Barium Nitrate

Effective date : 01.16.2015 **Last updated** : 03.19.2015