



Get the most comprehensive
MSDS/HazCom program on the market!

Material Safety Data Sheet

SECTION I - Material Identity
SECTION II - Manufacturer's Information
SECTION III - Physical/Chemical Characteristics
SECTION IV - Fire and Explosion Hazard Data
SECTION V - Reactivity Data
SECTION VI - Health Hazard Data
SECTION VII - Precautions for Safe Handling and Use
SECTION VIII - Control Measures
SECTION IX - Label Data
SECTION X - Transportation Data
SECTION XI - Site Specific/Reporting Information
SECTION XII - Ingredients/Identity Information

SECTION I - Material Identity

Item Name	
Part Number/Trade Name	DANISH OIL FINISH
National Stock Number	8010PMEDWALNUT
CAGE Code	33461
Part Number Indicator	A
MSDS Number	148700
HAZ Code	B

SECTION II - Manufacturer's Information

Manufacturer Name	DEFT INC
Street	17451 VON KARMAN AVENUE

City	IRVINE
State	CA
Country	US
Zip Code	92714
Emergency Phone	714-474-0400

MSDS Preparer's Information

Date MSDS Prepared/Revised	22NOV82
Active Indicator	N

Alternate Vendors

SECTION III - Physical/Chemical Characteristics

Appearance/Odor	BROWN LIQUID WITH SOLVENT ODOR
Boiling Point	316F-394F
Vapor Density	HEAV AIR
Specific Gravity	1
Evaporation Rate	SLOW ETHER
Percent Volatiles by Volume	64.8
Container Pressure Code	4
Temperature Code	8
Product State Code	U

SECTION IV - Fire and Explosion Hazard Data

Flash Point Method	TCC
Lower Explosion Limit	1.0
Upper Explosion Limit	5.3

Extinguishing Media	CARBON DIOXIDE, FOAM, OR DRY CHEMICAL
Special Fire Fighting Procedures	CAUTION AGAINST APPLICATION TO HOT SURFACES AND WHERE SPARKS OR OPEN FLAME MAY BE PRESENT
Unusual Fire/Explosion Hazards	DO NOT USE WATER STREAM WHICH MAY SPREAD FIRE. FINE WATER SPRAY OR FOG CAN BE USED EFFECTIVELY

SECTION V - Reactivity Data

Stability	YES
Stability Conditions to Avoid	AVOID OPEN FLAME IN VICINITY
Materials to Avoid	NONE SPECIFIED BY MANUFACTURER
Hazardous Polymerization	NO
Polymerization Conditions to Avoid	WILL NOT OCCUR

SECTION VI - Health Hazard Data

Route of Entry: Skin	YES
Route of Entry: Ingestion	YES
Route of Entry: Inhalation	YES
Health Hazards - Acute and Chronic	ACUTE: NAUSEOUS AND/OR DIZZY FEELING FROM INHALATION. THERE MAY BE SOME IRRITATION OF EYES. CHRONIC: NONE RECOGNIZED
Carcinogenicity: NTP	N
Carcinogenicity: IARC	N
Carcinogenicity: OSHA	N
Explanation of Carcinogenicity	NONE LISTED
Symptoms of Overexposure	NAUSEA, DIZZINESS, AND IRRITATION OF EYES
Emergency/First Aid Procedures	INHALE: REMOVE TO FRESH AIR. EYES FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST

15 MIN. CALL MD. SKIN: RINSE WITH LARGE AMOUNTS OF WATER FOR 15 MIN. REMOVE CONTAMINATED CLOTHING. WIPE SKIN GENTLE WITH NAPTHA OR LACQUER THINNER SOAKED INTO CLOTH. TAKE TO MD IF NECESSARY

SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled	CLEAN UP WITH DRY RAGS AND USE MINERAL SPIRITS OR NAPTHA FOR FINAL CLEAN UP. DISPOSE OF RAGS IN CLOSED METAL CONTAINER. KEEP WET WITH WATER
Waste Disposal Method	IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS
Handling and Storage Precautions	USE NORMAL STORING PRECAUTIONS AS WITH ANY PAINT. KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAMES
Other Precautions	AVOID PROLONGED INHALATION OF VAPORS

SECTION VIII - Control Measures

Respiratory Protection	GOOD ADEQUATE VENTILATION- OPEN WINDOWS OR EXHAUST FAN
Ventilation	GOOD ADEQUATE VENTILATION- OPEN WINDOWS OR EXHAUST FAN
Protective Gloves	YES
Eye Protection	YES
Other Protective Equipment	NONE
Supplemental Health/Safety Data	AVOID PRLONGED INHALATION OF VAPORS
Disposal Code	O

SECTION IX - Label Data

Protect Eye	YES
Protect Skin	YES
Protect Respiratory	NO
Chronic Indicator	UNKNOWN
Contact Code	SLIGHT
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN

SECTION X - Transportation Data

Container Quantity	1
Unit of Measure	GL

SECTION XI - Site Specific/Reporting Information

Volatile Organic Compounds (P/G)	4.5895
Volatile Organic Compounds (G/L)	550

SECTION XII - Ingredients/Identity Information

Ingredient #	01
Ingredient Name	135-66 MINERAL SPIRITS
CAS Number	135660
Proprietary	NO
Percent	60
ACGIH TLV	200 PPM
Ingredient #	02
Ingredient Name	BENZENE, METHYL-
CAS Number	108883

Proprietary	NO
Percent	1
ACGIH TLV	100 PPM
