

00623-1014
-1016
-1017

MATERIAL SAFETY DATA SHEET

IDENTITY (AS USED ON LABEL AND LIST)

DICK BLICK ACRYLIC GEL MEDIUM

May be used to comply with OSHA's 29 CFR 1910.1200

Note: Blank spaces are not permitted. If any item is not applicable.

If no information available, the space must be marked appropriately.

SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

ROCK PAINT DISTRIBUTING CORP.	(608) 868-6873
MANUFACTURER	TELEPHONE NUMBER FOR INFORMATION
365 SUNNYSIDE DR. P.O. BOX 482	(920) 563-8545
ADDRESS	EMERGENCY TELEPHONE NUMBER
MILTON, WI 53563	JULY 2007
	DATE PREPARED

SECTION 2 - MATERIAL IDENTIFICATION AND INFORMATION

OTHER LIMITS

COMPONENTS	CHEMICAL NAME & COMMON NAMES	%	OSHA PEL	ACGIH TLV	RECOMMENDED
------------	------------------------------	---	----------	-----------	-------------

Contains no hazardous substand per OSHA
29 CFR 1910.1200

Material is a water based product with the AP Seal. Products with the AP Approved Products Seal of the Art and Craft Materials Institute Inc. are certified in a program of toxicological evaluation by a medium expert to contain no material in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified by the Institute to be in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200 (c).

SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT -	Range 215-225 F	SPECIFIC GRAVITY (H ₂ O = 1) -	Range 1.03-1.68
VAPOR PRESSURE (mm Hg & TEMPERATURE) -	N/A	MELTING POINT -	N/A
VAPOR DENSITY (AIR=1) -	lighter than air	EVAPORATION RATE (WATER = 1) -	lower than ether
SOLUBILITY IN WATER -	completely soluble in water	WATER REACTIVE -	N/A
APPEARANCE & ODOR -	various colors and odorless		

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT & METHOD USED	N/A	FLAMMABILITY LIMITS IN AIR % BY VOLUME	N/A
EXTINGUISHER MEDIA	CO ₂ , Foam or Water	LEL	UEL
SPECIAL FIRE FIGHTING PROCEDURES	None known	N/A	N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS	None		

SECTION 5 - REACTIVITY HAZARD DATA

ACRYLIC GEL MEDIUM Page 2 of 2

STABILITY CONDITIONS TO AVOID

STABLE

None

UNSTABLE

INCOMPATIBILITY (MATERIALS TO AVOID)

N/A

HAZARDOUS DECOMPOSITION PRODUCTS

N/A

HAZARDOUS POLYMERIZATION

CONDITIONS TO AVOID

MAY OCCUR

N/A

None known

WILL NOT OCCUR

SECTION 6 - HEALTH HAZARD DATA

PRIMARY ROUTES OF EN

N/A

CARCINOGEN LISTED IN

N/A

INHALATION

INGESTION

NTP

OSHA

SKIN ABSORPTION

NOT HAZARDOUS

IARC MONOGRAPH

NOT LISTED

HEALTH HAZARDS

ACUTE

Refer to Section 2

CHRONIC

SIGNS AND SYMPTOMS

Not known

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Not known

EMERGENCY FIRST AID PROCEDURES - Consult a Physician Immediately.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED

Usual Clean Up Procedure

WASTE DISPOSAL METHODS

Dispose of in accordance with Federal and Local State Regulations

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Store at room temperature.

OTHER PRECAUTIONS AND/OR SPECIAL HAZARDS

Not known

SECTION 8 - CONTROL AND PROTECTIVE MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE)

None required

VENTILATION TO BE USED

LOCAL EXHAUSE

MECHANICAL (GENERAL)

SPECIAL

None required

OTHER (SPECIFY)

PROTECTIVE GLOVES

N/A

EYE PROTECTION

N/A

OTHER PROTECTIVE CLOTHING AND EQUIPMENT

N/A

HYGIENIC WORK PRACTICES

N/A