

W M BARR & INC -- KLEAN-STRIP LACQUER THINNER, GML170

MSDS Safety Information

FSC: 8010

MSDS Date: 10/25/1994

MSDS Num: CDNFM

LIIN: 00N074790

Product ID: KLEAN-STRIP LACQUER THINNER, GML170

MFN: 01

Responsible Party

Cage: IO117

Name: W M BARR & CO INC

Address: 2105 CHANNEL AVE

City: MEMPHIS TN 38113

Info Phone Number: 901-775-0100

Emergency Phone Number: 901-775-0100

Published: Y

Contractor Summary

Cage: IO117

Name: W M BARR & CO INC

Address: 2105 CHANNEL AVE

City: MEMPHIS TN 38113

Phone: 901-775-0100

Cage: 91522

Name: W.M. BARR & COMPANY/KLEAN-STRIP, DIVISION OF

Address: 2105 CHANNEL AVENUE

Box: 1879

City: MEMPHIS TN 38101

Phone: 901-775-0100

Ingredients

Cas: 78-93-3

RTECS #: EL6475000

Name: 2-BUTANONE; (METHYL ETHYL KETONE) (MEK) (SARA 313) (CERCLA)

% Wt: 20-25

OSHA PEL: 200 PPM

ACGIH TLV: 200 PPM;300 STEL

EPA Rpt Qty: 5000 LBS

DOT Rpt Qty: 5000 LBS

Name: ALIPHATIC PETROLEUM DISTILLATE (CONSISTING OF INGS 3 - 6)

% Wt: 10-15

OSHA PEL: 400 PPM (MFR)

ACGIH TLV: N/K (FP N)

Cas: 64742-89-8

Name: VM & P NAPHTHA; (ALIPHATIC PETROLEUM DISTILLATE)

% Wt: 50-55

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)

Cas: 142-82-5

RTECS #: MI77000000

Name: HEPTANE; (N-HEPTANE)

% Wt: 20-25

OSHA PEL: 500 PPM

ACGIH TLV: 400 PPM;500 STEL

Cas: 108-87-2

RTECS #: GV6125000

Name: CYCLOHEXANE, METHYL-; (METHYLCYCLOHEXANE)

% Wt: 10-15

OSHA PEL: 500 PPM

ACGIH TLV: 400 PPM

Cas: 108-88-3

RTECS #: XS5250000

Name: TOLUENE (SARA 313) (CERCLA)

% Wt: 5-10

OSHA PEL: 200 PPM

ACGIH TLV: 50 PPM, S

EPA Rpt Qty: 1000 LBS

DOT Rpt Qty: 1000 LBS

Cas: 67-56-1

RTECS #: PC1400000

Name: METHANOL; (METHYL ALCOHOL) (SARA 313) (CERCLA)

% Wt: 10-15

OSHA PEL: 200 PPM, S

ACGIH TLV: 200 PPM;250 STEL, S

EPA Rpt Qty: 5000 LBS

DOT Rpt Qty: 5000 LBS

Cas: 108-65-6

RTECS #: AI8925000

Name: ACETIC ACID, 2-METHOXY-1-METHYLETHYL ESTER; (PROPYLENE GLYCOL MONOMETHYL
ETHER ACETATE)

% Wt: 10-15

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)

Cas: 108-88-3
RTECS #: XS5250000
Name: TOLUENE (SARA 313) (CERCLA)
% Wt: 10-15
OSHA PEL: 200 PPM
ACGIH TLV: 50 PPM, S
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Cas: 1330-20-7
RTECS #: ZE2100000
Name: XYLENE (SARA 313) (CERCLA) (CONSISTING OF 80-85% XYLENE ALONG W/ING 11)
% Wt: 5-10
OSHA PEL: 100 PPM
ACGIH TLV: 100 PPM;150 STEL
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Cas: 100-41-4
RTECS #: DA0700000
Name: BENZENE, ETHYL-; (ETHYL BENZENE) (SARA 313)
% Wt: 15-20
OSHA PEL: 100 PPM
ACGIH TLV: 100 PPM;125 STEL
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Cas: 141-78-6
RTECS #: AH5425000
Name: ACETIC ACID, ETHYL ESTER; (ETHYL ACETATE) (CERCLA)
% Wt: 1-5
OSHA PEL: 400 PPM
ACGIH TLV: 400 PPM
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 67-64-1
RTECS #: AL3150000
Name: ACETONE (SARA 313) (CERCLA)
% Wt: 10-15
OSHA PEL: 1000 PPM
ACGIH TLV: 750 PPM;1000 STEL
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 110-82-7

RTECS #: GU6300000

Name: CYCLOHEXANE (SARA 313) (CERCLA)

% Wt: 1

OSHA PEL: 300 PPM

ACGIH TLV: 300 PPM

EPA Rpt Qty: 1000 LBS

DOT Rpt Qty: 1000 LBS

RTECS #: 9999999VO

Name: VOLATILE ORGANIC COMPOUNDS: 784 G/L - MAX; (EXCLUDING EXEMPT SOLVENTS
& WATER).

Name: SUPDAT:INGEST. ETHANOL COMPETES FOR SAME METABOLIC PATHWAY & HAS BEEN
USED AS ANTIDOTE. METHANOL IS EFFECTIVELY

Name: ING 16:REMOVED BY HEMODIALYSIS. FORMULA IS REGISTERED W/POISINDEX. CALL
YOUR LOC POIS CTL CTR FOR FURTHER INFO.

Name: EFTS OF OVEREXP:MADE NON-POIS. MAY BE FATAL/CAUSE BLINDNESS; BURNING
SENSATION IN MOUTH, THROAT & STOM; LOSS OF

Name: ING 18:COORD; NARCOS; STUPOR; GI IRRIT; LIVER, KIDNEY & HEART DMG;
& INHAL SYMPS. CHRONIC:RPTS HAVE ASSOC RPTD &

Name: ING 20:PRLNG OVEREXP TO SOLVS W/NEUROLOGICAL & OTHER PHYSIOLOGICAL
DMG. PRLNG/RPTD CONT MAY CAUSE DERM/RSLT IN

Name: ING 20:ABSORP OF HARMFUL AMT OF MATL. MAY CAUSE CONJ; GASTRIC DISTURBS;
INSOM; HEART PALPITATIONS; SKIN IRRIT;

Name: ING 21:NUMB IN HANDS & FEET; PERM CNS CHANGES; SOME MEMORY LOSS;
PANCREATIC DMG; VISUAL IMPAIRMENT/BLINDNESS;

Name: ING 22:KIDNEY/LIVER DMG & ACUTE INHAL SYMPS. CAL PROP 65:TOLUENE IS
KNOWN TO CAUSE BIRTH DEFECT/OTHER REPRO

Name: ING 23:HARM. NOTE:TOLUENE APPEARS ON NAVY LIST OF OCCUP CHEM REPRO HAZS.
SEEK CONSULTATION FROM APPROP HLTH

Name: ING 24:PROFESSIONALS CONCERNING LATEST HAZ LIST INFO & SAFE HANDLING
& EXPOSURE INFO (FP N).

=====
Health Hazards Data

=====
LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE:INHAL:VAP HARMFUL. MAY CAUSE DIZZ; HDCH; EYE WATERING; RESP TRACT IRRIT; WEAK; DROW; NAUS; NUMB IN FINGERS, ARMS & LEGS; CNS DEPRESS; LOSS OF APPETITE; FATG; HALLUCINATIONS; LT HEAD; VISUAL DIST URBS; GIDD & INTOX; SLEEPINESS; COUGH &DYSPNEA; COLD, CLAMMY EXTREMS; DIARR; VOMIT; DILATED PUPILS; & (EFTS OF OVEREXP)

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptions Of Overexposure: HLTH HAZ:SPOTTED VISION. SEV OVEREXP MAY CAUSE CONVLS, UNCON, COMA & DEATH. INTENT MISUSE OF PROD BY DELIB CONC & INHAL CAN BE HARMFUL/FATAL. SKIN CONT:MAY BE ABSORBED. MAY CAUSE IRRIT; DRYING; DERM & INCR SEV OF INHAL SYMPS. EYE CONT:MAY CAUSE IRRIT, BURNS, CONJ & CORNEAL ULCERATIONS. INGEST:POIS. CANNOT BE

Medical Cond Aggravated By Exposure: DISEASES OF THE SKIN, EYES, LIVER, KIDNEYS, CENTRAL NERVOUS SYSTEM AND RESPIRATORY SYSTEM.

First Aid: INHAL:MOVE TO FRESH AIR. ADMIN OXYG/ARTF RESP. CALL MD. SKIN:WASH W/SOAP & LG QTYS OF WATER & SEE MD. EYES:FLUSH W/LG QTYS OF WATER FOR AT LST 15 MINS & SEE MD IMMED. INGEST:CALL MD IMMED (FP N). NOTE TO MD:POIS. METHANOL IS METABOLIZED TOFORMALDEHYDE & FORMIC ACID. METABOLITES MAY CAUSE METABOLIC ACIDOSIS, VISUAL DISTURBS & BLINDNESS. SINCE METABOLISM IS REQD FOR TOX SYMPS, THEIR ONSET (SUPDAT)

=====
Handling and Disposal

=====
Spill Release Procedures: SM SPILLS:TAKE UP LIQ W/SAND, EARTH/OTHER NONCOMBUST ABSORB MATL & PLACE IN PLASTIC CNTNR WHERE APPLIC. LG SPILLS:DIKE FAR AHEAD OF SPILL FOR LATER DISP. KEEP UNNEC PEOPLE AWAY; ISOLATE AREA & DENY EN TRY. FOR MORE SPECIFIC INFO, CONTACT NEHC (FP N).

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE I/A/W APPLICABLE LOCAL, STATE & FEDERAL REGULATIONS. DISPOSE OF EMPTY CONTAINER ACCORDING TO ALL REGULATIONS. DO NOT REUSE THIS CONTAINER.

Handling And Storage Precautions: KEEP CNTNR TIGHTLY CLSD WHEN NOT IN USE. STORE IN COOL, DRY PLACE. DO NOT STORE NEAR FLAMES/AT ELEVATED TEMPS. DO NOT EAT, DRINK/SMOKE IN WORK AREA.

Other Precautions: READ CAREFULLY ALL CAUTS & DIRECTIONS ON PROD LBL BEFORE USE. SINCE EMPTY CNTNR RETAINS RESIDUE, FOLLOW ALL LBL WARNINGS EVEN AFTER CNTNR IS EMPTY. GLOVES CONTAM W/PROD SHOULD BE DISCARDED. DISCARD AN Y CLTHG/OTHER PROT EQUIP THAT (SUPDAT)

=====
Fire and Explosion Hazard Information

=====
Flash Point Method: TOC

Flash Point Text: 4F,-16C

Lower Limits: 1%

Extinguishing Media: USE CARBON DIOXIDE, DRY POWDER OR FOAM.

Fire Fighting Procedures: USE NIOSH APPRVD SCBA & FULL PROT EQUIP (FP N).

STOR CNTNRS EXPOS TO FIRE SHOULD BE KEPT COOL W/WATER SPRAY TO PVNT PRESS BUILD-UP. STAY AWAY FROM HEADS(SUPDAT)

Unusual Fire/Explosion Hazard: KEEP AWAY FROM HEAT, SPKS, FLAME & ALL OTHER SOURCES OF IGNIT. VAPS MAY CAUSE FLASH FIRE/IGNITE EXPLO. DO NOT SMOKE. FOR MORE INFO, CONTACT NEHC (FP N).

=====
Control Measures

=====
Respiratory Protection: FOR OSHA CONTROLLED WORK PLACE & OTHER REGULAR USERS-USE ONLY W/ADEQ VENT UNDER ENGINEERED AIR CONTROL SYS DESIGNED TO PVNT EXCEEDING APPROP TLV. FOR OCCAS USE, WHERE ENGINEERED AIR CONTROL IS NOT FEASIBLE, USE PROPERLY MAINTAINED &(SUPDAT)

Ventilation: OPEN ALL WINDOWS & DOORS. USE ONLY W/CROSS VENT OF MOVING FRESH ACROSS WORK AREA. IF VENT IS INADEQ, LEAVE AREA IMMED.

Protective Gloves: IMPERMEABLE GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGS & (FP N).

Other Protective Equipment: EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA (FP N). IMPERMEABLE APRONS, TO MINIMIZE EXPOSURE.

Work Hygienic Practices: WASH HANDS THORO AFTER USE. PROMPTLY REMOVE & CLEAN ANY CLTHG/EQUIP THAT BECOMES CONTAM. CONT LENSES SHOULD NOT BE WORN.

Supplemental Safety and Health: FIRE FIGHT PROC:OF CNTNRS THAT HAVE BEEN EXPOS TO INTENSE HEAT/FLAME. OTHER PREC:CANNOT BE DECONTAM, SUCH AS SHOES. RESP PROT:FITTED NIOSH APPRVD RESP FOR ORG SOLV VAPS. NIOSH APPRVD DUST MASK DOES NO T PROVIDE PROT AGAINST VAPS. FIRST AID PROC:MAY BE DELAYED FROM 6-30 HRS AFTER

=====
Physical/Chemical Properties

=====
B.P. Text: >133F,>56C

Vapor Pres: 82 @ 20C

Vapor Density: HVR/AIR

Spec Gravity: 0.78 (FP N)

Evaporation Rate & Reference: SLOWER THAN ETHER

Appearance and Odor: NONE SPECIFIED BY MANUFACTURER.

Percent Volatiles by Volume: 100-WT

=====
Reactivity Data

=====
Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: INCOMPATIBLE W/STRONG OXIDIZING AGENTS, STRONG CAUSTICS, HYDROGEN PEROXIDE & NITRATES.

Hazardous Decomposition Products: DECOMP MAY PRODUCE CARBON MONOXIDE; CARBON DIOXIDE; FORMALDEHYDE & UNIDENTIFIED ORGANIC COMPOUNDS IN BLACK SMOKE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

HAZCOM Label

=====

Product ID: KLEAN-STRIP LACQUER THINNER, GML170

Cage: IO117

Assigned IND: Y

Company Name: W M BARR & CO INC

Street: 2105 CHANNEL AVE

City: MEMPHIS TN

Zipcode: 38113

Health Emergency Phone: 901-775-0100

Label Required IND: Y

Date Of Label Review: 04/14/1997

Status Code: C

Label Date: 04/14/1997

Origination Code: G

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: DANGER

Respiratory Protection IND: YES

Health Hazard: Moderate

Contact Hazard: Slight

Fire Hazard: Severe

Reactivity Hazard: None

Hazard And Precautions: EXTREMELY FLAMMABLE. ACUTE: INHAL: VAPOR HARMFUL. MAY CAUSE DIZZINESS, HEADACHE, EYE WATERING, RESPIRATORY TRACT IRRIT, WEAKNESS, DROWSINESS, NAUSEA, NUMBNESS IN FINGERS, ARMS & LEGS; CNS DEPRESS, LOSS OF APPETITE, FATIGUE, HALLUCINATIONS, VISUAL DISTURBANCES, COUGHING & DYSPNEA, COLD, CLAMMY EXTREMS, DIARRHEA, VOMIT, DILATED PUPILS & SPOTTED VISION. SKIN: IRRIT, NUMBNESS OF FINGERS & ARMS, DERMATITI S. EYES: IRRIT,

BURNS, CORNEAL ULCERATIONS, CONJUNCTIVITIS. INGEST:POISONOUS, MAY BE FATAL/CAUSE BLINDNESS. CNS DEPRESS. CHRONIC:TOLUENE APPEARS ON THE NAVY OCCUPATIONAL CHEMICAL REPRODUCTIVE HAZARDS LIST (FP N). INGEST:BLINDNESS, KIDNEY/LIVER DAMAGE.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.