

# SAFETY DATA SHEET

## RONSON LIGHTER FLUID

### 1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY

**Product Name:** Ronson Lighter Fluid  
**Synonyms, Trade Names:** Ronsonol Lighter Fluid 133ml  
**Applications :** Liquid Lighter fuel  
**Supplier :** Ronson International Ltd  
International House, Old Brighton Road  
Lowfield Heath, Crawley, West Sussex RH11 0QN  
**Emergency Telephones:** 01293 843600

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredient Name      | No.        | Contents               | Health class) | Risk (R No.) |
|----------------------|------------|------------------------|---------------|--------------|
| Ronson Lighter Fluid | 64741-84-0 | Aliphatic hydrocarbons |               | 51/53        |

### 3. HAZARDS IDENTIFICATION

Highly Flammable.  
Toxic to aquatic organisms, may cause long term adverse effect on the aquatic environment.

### 4. FIRST AID MEASURES

**General:** NOTE! Keep affected person away from heat, sparks and flames!  
Promptly wash eyes with copious amounts of water while lifting the eyelids.  
Get medical attention immediately. Continue to rinse.

**Skin:** Remove affected person from source of contamination. Promptly remove clothing. If penetrated and flush the skin with water.

**Inhalation:** Move the exposed person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering 100% oxygen. Keep the affected person warm and at rest. Get prompt medical attention.

**Ingestion:** NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS.  
If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.

### 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Stop flow of material to fire. Fire can be extinguished by using foam, dry chemicals, sand, dolomite etc.

**Special Fire Fighting Procedures:**  
Use water to keep fire-exposed containers cool and disperse vapours.  
Cool containers exposed to flames with water from the side until well after the fire is out. Move container from fire area if it can be done without risk.

**Unusual Fire & Explosion Hazards:**  
May explode in a fire. May travel a considerable distance to source of fire and flashback.

**Hazardous Decomposition Products:**  
Toxic gases/vapours/fumes of carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>).

# SAFETY DATA SHEET

## RONSON LIGHTER FLUID

### 6. ACCIDENTAL RELEASE MEASURES

**Spill Cleanup Methods:** Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Keep combustibles away from spilled material. Absorb with inert, damp, non-combustible material, flush the area with water.

### 7. HANDLING AND STORAGE

**Usage Precautions:** Keep away from heat, sparks and open flame.  
**Storage Precautions:** Flammable/Combustible Keep away from oxidizers, heat and flames. May attack some rubber and coatings.  
**Storage Criteria:** Flammable Liquid storage

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Ingredient Name      | Cas No.                                                                                                                                     | STD | LT EXP<br>(8hrs) | ST EXP<br>(15 min)<br>800 ppm |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----|------------------|-------------------------------|
| Ronson Lighter Fluid | 64741-84-0                                                                                                                                  | OES |                  |                               |
| Ingredient comments: | OES = Occupational Exposure Standard (EH40)                                                                                                 |     |                  |                               |
| Ventilation:         | Well-ventilated area                                                                                                                        |     |                  |                               |
| Respirators:         | No specific recommendation made, but respiratory protection must be used if the general level exceeds the Occupational Exposure Level (OEL) |     |                  |                               |
| Protective Gloves:   | Not normally required under normal use unless user has skin disorder                                                                        |     |                  |                               |
| Eye Protection:      | Under normal use should not be required.                                                                                                    |     |                  |                               |

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|                               |                                                           |                         |                 |
|-------------------------------|-----------------------------------------------------------|-------------------------|-----------------|
| Colour:                       | colourless                                                | Appearance:             | clear, liquid   |
| Odour/Taste:                  | mild (or faint), organic solvents                         |                         |                 |
| Solubility description:       | Insoluble in water, miscible with organic solvents (most) |                         |                 |
| Specific Gravity (Water = 1): | 0.73 @ 20°C                                               |                         |                 |
| Evaporation Rate (EtEt=1)     | 9.5                                                       | Vapour Pressure (mmHg): | 2.04 @ 20°C     |
| Melting Point:                | <-30°C                                                    |                         |                 |
| Boiling Point:                | 100 - 155°C 760mmHg                                       |                         |                 |
| Flash Point:                  | 4°C                                                       | Flash Point Method:     | CC (Closed Cup) |
| Auto Ignition Temperature:    | 230°C                                                     |                         |                 |
| Flammability Limit:           | lower % :0.90                                             |                         |                 |
| Flammability Limit:           | upper % : 8                                               |                         |                 |

### 10. STABILITY AND REACTIVITY

**Stability:** Avoid heat, sparks, and flames  
**Materials to avoid:** Strong oxidizing agents  
**Conditions to avoid:** Evaporates easily in air. Reacts strongly with oxidizers.  
**Hazardous Decomposition Products**  
Toxic gases/vapours/fumes of carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>).

### 11. TOXICOLOGICAL INFORMATION

**Health Warnings:** Vapour from this chemical can be hazardous when inhaled.  
**Eye Contact:** Mild irritation, or discomfort  
**Skin contact:** Defatting of the skin resulting in dermatitis.  
**Inhalation:** Irritation to the respiratory system.

# SAFETY DATA SHEET

## RONSON LIGHTER FLUID

**Ingestion:** Irritation to mouth and digestive tract. Vomiting can cause an aspiration hazard.  
**Medical symptoms:** Dizziness.

---

### 12. ECOLOGICAL INFORMATION

---

**Degradability:** Not readily biodegradable. Will float on water, evaporate quickly, low potential to bioaccumulate.  
**Acute fish Toxicity:** Toxic to aquatic organisms.

---

### 13. DISPOSAL CONSIDERATIONS

---

**Disposal methods:** Dispose of in accordance with Local Authority requirements.

---

### 14. TRANSPORT INFORMATION

---

**Road:**

|                      |      |                                                  |      |
|----------------------|------|--------------------------------------------------|------|
| UN No.               | 1268 | Hazchem Code                                     | 3YE  |
| ADR Class            | 3    | ADR Item No                                      | 3(b) |
| ADR Hazard No.       | 33   | Highly flammable liquid (flash point below 23°C) |      |
| Cefic Tec®No.        | 754  | ADR Label No.                                    | 3    |
| Marginal:            | 2301 |                                                  |      |
| Label for Conveyance |      |                                                  |      |

**Air:**

|                |      |                         |    |
|----------------|------|-------------------------|----|
| UN No.         | 1268 | Air Transport Class No. | 3  |
| Air Sub Class: | 3    | Air Pack Gr;            | 11 |

**Sea:**

|                  |      |                         |     |
|------------------|------|-------------------------|-----|
| UN No:           | 1268 | Sea Transport Class No. | 3.2 |
| IMDG Page No.    | 3271 |                         |     |
| Marine Pollutant | Yes  |                         |     |

**Rail:**

|                          |   |             |    |
|--------------------------|---|-------------|----|
| Rail Transport Class No. | 3 | Railroad PT | 3b |
|--------------------------|---|-------------|----|

---

### 15. REGULATORY INFORMATION

---

Label For Supply

# SAFETY DATA SHEET

## RONSON LIGHTER FLUID

|                        |                |                                                                                                        |
|------------------------|----------------|--------------------------------------------------------------------------------------------------------|
| <b>Risk Phrases</b>    | <b>R-11</b>    | Highly Flammable                                                                                       |
|                        | <b>R-51/53</b> | Toxic to aquatic organisms, may cause long term adverse effect in the aquatic environment.             |
| <b>Safety Phrases:</b> | <b>S-9</b>     | Keep container in a well-ventilated place.                                                             |
|                        | <b>S-16</b>    | Keep away from sources of ignition - NO SMOKING.                                                       |
|                        | <b>S-29</b>    | Do not empty into drains                                                                               |
|                        | <b>S-62</b>    | If swallowed do not induce vomiting. Seek medical advice immediately and show this container or label. |

### UK Regulatory References.

Classification, Packaging and Labelling Regulations 1984.  
Highly Flammable Liquid Regulations 1972  
Health and Safety at work Act 1974  
The Control of Substances Hazardous to Health Regulations 1988

---

## 16. OTHER INFORMATION

---

**Information Sources:** Dangerous Properties of Industrial Chemicals, 6 edition N. Sax, 1984  
OSHA Air Contaminants - Permissible Exposure Limits (Title 29)  
Handbook of Toxic and Hazardous Chemicals and Carcinogens, Sittig, '85  
Hazardous Materials, Emergency Response Guide, DOT-P 5800.3, 1984.  
NIOSH/OSHA Pocket Guide to Chemical Hazards (latest edition)  
Threshold Limit Values and Biological Exposure Indices for 1994-95.  
Chemical Safety Data Guide. Bureau of National Affairs, 1985

---

---

|                                           |                                         |
|-------------------------------------------|-----------------------------------------|
| <b>SDS No:</b>                            | <b>1021</b>                             |
| <b>Revision Date:</b>                     | <b>May.2000</b>                         |
| <b>Revision No./ Replaces SDS issued:</b> | <b>31.01.1996</b>                       |
| <b>Revision Comments:</b>                 | <b>New Safety Sheet to Chip Format.</b> |