| | Use: Dusting Aide tributor | | Multi-Clean® Your Guide To Clean | | | | | |
|---|---|---------------------------|---|--|--|--|--|--|
| - | nber for Information: 651-481-1900 ephone Number: 800-255-3924 | | | | | | | |
| Eye Irritan | on Category 2 Category 2 | Physical Class | Environment Class Acute Aquatic Toxicity Category 2 | | | | | |
| Specific Ta Label Symbols | rget Organ Toxicity - Single Exposure Category 1 | | | | | | | |
| Signal Way | d Danger | | | | | | | |
| | Signal Word Danger Hazard Statements: | | | | | | | |
| Precaution Wash hand Wear prote Do not brea Do not eat, IF ON SKIN Take off co Get medica | lage to lungs, central nervous system, brain, mucou lary Statements: s thoroughly after handling. ctive gloves. the dust/fume/gas/mist/vapors/spray. drink or smoke when using this product. Wash with plenty of water. If skin irritation occu ntaminated clothing and wash it before use. I attention if you feel unwell. contents in accordance with local regulations. | | liver, and kidneys. | | | | | |
| | mation on Ingredients | | Percent by | | | | | |
| Ingredient Mineral Seal Oil | | CAS Number 64742-46-7 | Weight >98 | | | | | |
| . First-Aid Measure: Ingestion: Ma Eye Contact: 1 | y be harmful if Swallowed Iay Cause irritation on contact May cause irritation on contact | | | | | | | |
| . Fire Fighting Meas Suitable Extingui Special Fire Fight Unusual Fire and | shing Media: Foam - Water Fog - CO2 - Dry Cher | | ep containers cool | | | | | |
| | Measures: spill with inert material (sand, earth, etc.). Collect h soap and water. | spill with a mop, absorbe | nt material (example: floor-dry) or vacuum. Wash | | | | | |
| . Handling and Stor Handling: Kee | ige: p out of reach of children. Keep from freezing. | | | | | | | |

Storage: Do not store near heat sparks or flame

| Sa | fety Data Sheets (SDS) 902040 Dust Fast | | | 6/7/2013 | | |
|-----|---|------------------------------------|----------------------------|----------------------|--|--|
| 8. | Exposure Controls / Personal Protection: Exposure Limits: Ingredients Mineral Seal Oil Exposure Controls: Engineering Controls: Ventilate to maintain vapor levels below Personal Protective Equipment: Eye Protection: Approved Safety Goggles or Glasses Skin Protection: Chemical Resistant Rubber Gloves Respiratory Protection: Not required, Avoid breathing spray m | | Osha PEL 5 mg/M3 | ACGIH TLV 5 mg/M3 | | |
| 9. | Physical and Chemical Properties:Physical State: LiquidpH: Not ApplicableAppearance: BlueSpecific Gravity (H20 = 1): 0.821Odor: Solvent/FloralFlammability: CombustibleSolubility: NegligibleFlash Point: >200F (>93C)Evaporation Rate: <1 | | | | | |
| 10. | Stability and Reactivity: Chemical Stability: Stability of Hazardous Reactions: None are known Incompatability (Materials to Avoid): Strong Oxidizing Agents Hazardous Decomposition or By-products: C0, Petroleum Decomposition Products Hazardous Polymerization: Will not Occur Conditions to Avoid: None are known | | | | | |
| 11. | Toxicological Information: Signs and Symptoms of Overexposure: May cause Headaches, Drowsiness or Nausea. Causes Skin Irritation Acute Effects: Eye Contact: May cause irritation on contact Skin Contact: Causes skin irritation. Inhalation: May be harmful Ingestion: May be harmful if swallowed Target Organ Effects: Lungs, Central nervous system, Brain, Mucous membranes, Skin, Eyes, Liver, and Kidneys Chronic Effects: Dermatitis, Pneumonitis, Pulmonary Edema Acute Toxicity Values: Oral LD 50 = > 5000 mg/kg Dermal LD 50 = > 5000 mg/kg Inhalation (Vapor) LC 50 = > 50 mg/l | | | | | |
| 12. | Ecological Information: Persistence and Degradability: Not Available Bio Accumulative Potential: Not Available Mobility in Soil: Not Available Aquatic Toxicity: Toxic to Aquatic Life | | | | | |
| 13. | Disposal Considerations: Material that cannot be used during normal use should be disposed o Incineration in an EPA authorized site is recommended. | f in accordance with all applicabl | le local, state and federa | al regulations. | | |

14. Transportation Information:

UN Number: None Shipping Name: Cleaning Compound, Liquid Transport Hazard Class: None Packing Group: None Marine Pollutant: NO

Safety Data Sheets (SDS)

902040 Dust Fast

15. Regulatory Information:

TSCA Status: All ingredients listed

Clean Water Act: Mineral Seal Oil (64742-46-7) may be subject to regulation by the Clean Water Act and the Oil Pollution Act. Releases of the product into or leading to surface waters must be reported to the National Response Center at 1-800-424-8802

Clean Air Act: None of the chemicals in this product are listed under the CAA

CERCLA Reportable Quantity: None

SARA Title III Information:

Section 302 Extremely Hazardous Chemicals:None ListedSection 311 / 312 Hazard Category:Chronic HealthSection 313 Toxic Chemicals:None Listed

State Regulations: None

International Regulations: WHMIS Controlled Product Hazard Class: D2B

16. Other Information:

Prepared By: Ron Camp Telephone Number: 651-481-1900 Revision Date: 6/7/2013 Supersedes: 4/1/2012 The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the

